DEWALT®

POWER TOOLS CATALOGUE 2014

www.DEWALT.com

210 Bath Road, Slough, Berkshire SL1 3YD
Telephone: 01753 567055 FAX: 01753 572112

01.01.14

DEWALT®

www.DEWALT.com

GUARANTEED TOUGH®

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 1-2 17/12/2013 17:18

DEWALT

Over 30 Years of experience

in engineering professional construction power tools at our in-house facility in Idstein, Germany

Over 50 Years of experience

in designing and manufacturing world class drilling solutions for the construction industry at our in-house facility in Buchlberg, Germany

- Simulation software developed in partnership with the automotive industry
- Industry leading application-based testing facilities
- Cutting edge drilling accessories manufacture
- Award winning design

In-house design and manufacture ensures that the quality of DEWALT drilling solutions exceeds the requirements of the most demanding professional applications

WHY DEWALT?

END USER RESEARCH

- On average, we speak to 20,000 users every year as part of the product development process
- A comprehensive understanding of the real applications that our users perform enables us to generate product features that are a genuine benefit to our users

INNOVATIVE PRODUCTS

- To support our users and drive our industry forward, DEWALT consistently develop truly innovative products, across multiple categories
- This technical strength is regularly recognised by international design awards

COMPLETE PROFESSIONAL QUALITY PRODUCT RANGE

- DEWALT is a full range power tool and accessories supplier for the building contractor and professional tradesman

USER LOYALTY

- The cast-iron DEWALT guarantee and premium service network ensure that our users have faith in the quality of our products. First-time buyers will become loyal DEWALT users
- DEWALT is heavily involved in end-user events across Europe - building our brand reputation, and generating huge excitement around our diverse product portfolio

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 3-4 17/12/2013 17:18

WHY DEWALT 1
SYMBOLS 3
PERFORM & PROTECT 4
CORDLESS & BRUSHLESS 8
XR LI-ION RANGE OVERVIEW 8
18V XR Li-Ion 22
18V XR Li-Ion Kits 28
10.8V XR Li-Ion 32
XR Li-Ion Battery/Charger Chart 35
Cordless Accessories 36
OTHER CORDLESS 40
36V Cordless 40
18V NiCad/NiMH/Nano 42
12V NiCad/NiMH 43
7.2V Li-Ion 44
Battery/Charger Chart 45
LASERS 46
Laser Summary 47
Laser Attachments 49
HAMMERS 50
Hammers 52
Pavement Breakers 53
Dust Management 53
Hammers Accessories 54
METAL WORKING 55
Grinders 56
Polisher 57
DIAMOND 58
Diamond Drilling System 58
Diamond Drills 60
Diamond Attachments 61
DRILLING 62
Percussion Drills 63
Impact Wrenches 63
DUST EXTRACTION 64
Dust Extraction Attachments 65
MITRE SAWS & MACHINERY 66
Mitre Saws 68
Table Mitre Saws 69
Leg Stands 69
Mitre Saw Attachments 69
Flip Over Saws 70
Flip Over Saw Attachments 70
Portable Thicknesser 71
Bandsaws 71
Radial Arm Saws 71
Machinery Accessories 72
WOODWORKING 74
Routers 75
Oscillating tool 76
Planers 78
Sanders 78
Heatguns 79
Plunge Saw 80
Plunge Saw Attachments 80
Circular Saws 81
Jigsaws 81
Reciprocating Saws 81
ALLIGATOR® Saws 81
Woodworking Accessories 82
STORAGE 86
TOUGHSYSTEM™ 86
Bags 86
TSTAK™ 86
SAFETY FOOTWEAR 88
MANUFACTURER'S GUARANTEE 90
SERVICE 91
SERVICE AGENT NETWORK 92
PRICE LIST 94

CHISELLING MODE
Single mode for chiselling only

TWO MODE
For rotary and hammer drilling

THREE MODE
For rotary, hammer drilling and chiselling

IMPACT MECHANISM
Uses rotary impacts to generate extremely high torque

TWO AND THREE SPEED SELECTOR
Many DEWALT tools are available with multiple speeds to offer greater control in a variety of applications

CLUTCH
Clutch protects the operator against kick back and the tool against overload should the accessory jam

KEYLESS CHUCK

QUICK CHANGE CHUCK
Ideal solution to change easily between SDS and 3 jaw chuck systems

FORWARD AND REVERSE
Forward and reverse action for screwdriving applications

1 BATTERY
Tool comes complete with 1 battery as standard

2 BATTERIES
Tool comes complete with 2 batteries as standard

3 BATTERIES
Tool comes complete with 3 batteries as standard

CARRYING CASE
Supplied with heavy duty carrying case

NEW PRODUCT

PERFORM & PROTECT
Range of Health & Safety focused tools covering VIBRATION, CONTROL & DUST

NiCd NiMH LITHIUM ION

LITHIUM ION All cordless products are XR Li-Ion unless indicated otherwise

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 5-6 17/12/2013 17:18

PERFORM PROTECT™

In 2007, **DEWALT** set itself the challenge of creating the most comprehensive system of the safest, highest performing professional construction tools in the world. This is the **Perform & Protect** system, made up of products that meet strict criteria in one or more of the following core safety-focused areas: **Vibration; Control; Dust.**

CONTROL
Unique and innovative torque control features

VIBRATION
Up to 50% lower vibration*

DUST
Industry-leading dust extraction solutions

INTELLIGENT SAFETY — CONTROL

Bind-up situations can occur when drilling, cutting, or grinding. These sudden torque reactions, when the tool body rotates, can be potentially hazardous and result in damage to the tool or injury to the user.

With unique systems such as **CTC** for rotary hammers and E-clutch for drills and grinders, **DEWALT** offers several products in the **Perform & Protect** system that provide extra control in critical bind-up situations compared to standard clutches and side handles.

* Vibration comparison between models D25501 and D25601K.

MINIMUM VIBRATION, MAXIMUM PRODUCTIVITY — VIBRATION

Hand Arm Vibration Syndrome (HAVS) caused by exposure to vibration at work is preventable, but once the damage is done it is permanent. The European Physical Agents (Vibration) Directive 2002/44/EC has been enforced since July 2006. Aimed at protecting workers from health problems caused by hand-arm vibration, it identifies 2 key measurements:

The daily exposure action value (EAV) A(8)2.5, standardised to an 8-hour working period, is 2.5m/s².

The daily exposure limit value (ELV) A(8)s, standardised to an 8-hour working period, is 5 m/s²

Exposure limits are calculated as a combination of the vibration level (magnitude) of the tool and the Daily Exposure Time (Trigger Time). e.g. a product with 5m/s² vibration can be used up to 2 hours/day to reach the EAV and up to 8 hours/day to reach the ELV.

Visit our **www.DEWALT.com** to learn more on the following:

- Vibration measurement
- Exposure and productivity calculator
- Power tool selection
- Vibration reduction measures, legislation, and FAQs

SAFETY MADE CLEARER — DUST

Dust inhalation may lead to serious long-term and life threatening diseases, such as asthma, silicosis, Chronic Obstructive Pulmonary Disease (COPD) and cancer. The risk of developing these diseases will depend on the type of dust you are exposed to, as well as the concentration and exposure time.

INHALABLE DUST
(100 microns or less)
Can travel into mouth and nose.
Example: Fine sand.
Wood dust.

THORATIC DUST
(10 microns or less)
Can travel in to upper respiratory area.
Example: Cement dust.

RESPIRABLE DUST
(5 microns or less)
Can travel deep in to the lungs to the Alveola.
Example: Clay dust.
Asbestos. Respirable Crystalline Sylica (RCS).

ACNE
DERMATITIS
SKIN CANCER

ASTHMA
COPD
SILICOSIS
ASBESTOSIS
CANCER

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 7-8 17/12/2013 17:19

PERFORM PROTECT™

Look for the **Perform & Protect** logo for tools that meet this strict criteria.

DUST

Industry-leading dust extraction solutions

When the **Perform & Protect shield** is awarded for dust, it is guaranteed the potential of inhaling dust is dramatically reduced to give a cleaner and safer working environment.

Dust-sealed dashboard switches for increased durability

AirLock™ system allows quick, secure, rotatable connection to power tool

Tough front castor design to withstand job site conditions

DWV902M model shown

Automatic filter clean system pulses every 15 seconds maintaining constant suction levels

Rugged telescoping handle for easy mobility around site

Large rubber wheels for easy movement over uneven job site terrain

NEW

DWE46170 180mm Surfacing shroud

Respiratory disorders and diseases can take years to develop - act now to protect yourself and those around you.

These vacuum cleaners permit picking up dusts from dust classes L and M. These include all health endangering, non-carcinogenic dusts with OEL values > 0.1 mg/m^3 and hardwood dusts.

Explore the full Perform & Protect range at DEWALT.com

Up to 50% vibration reduction*

When the **Perform & Protect** shield is awarded for vibration, it is guaranteed that Tri-Axial vibration levels have been reduced, increasing usage time without reducing performance.

VIBRATION

8.8 m/s^2 Vibration Rating

D25601K

Rounded gear box for better handling. Especially in chiselling applications

Excellent power to weight ratio: 12 joules of impact energy delivered by a 6 kg hammer

Active Vibration Control system incorporating a floating rear handle and damped side handle to reduce vibratiuon

The NEW XR Cordless framing nailer DCN690

XR LITHIUM ION

- The world's first battery powered 90mm framing nailer
- No gas cartridges required and no regular cleaning means low running costs
- Low vibration

Unique and innovative torque control features

When the **Perform & Protect** shield is awarded for control, it is guaranteed that additional innovative torque control safety features have been incorporated into the design of the tool.

CONTROL

Electro-Mechanical E-Clutch Drills

New motor gives improved performance in applications with dry core bits up to 127mm in bricks or soft masonry

Heavy duty 16mm chuck allows quick bit change whilst offering excellent bit retention

Electro-Mechanical clutch increases user control and protection

Electronics provide e-clutch, power up and overload protection

D21570K model shown

* Vibration comparison between models D25501 and D25601K.

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 9-10 17/12/2013 17:19

THE CORDLESS XR RANGE

LITHIUM ION

3 YEAR GUARANTEE
LITHIUM ION

LITHIUM ION
4.0 AH
2.0 AH
1.5 AH

LITHIUM ION
1.5 AH

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 11-12
17/12/2013 17:19

TOUGH OUTSIDE INTELLIGENT INSIDE

WHY XR?

XR Li-Ion is the new cordless range from DEWALT offering eXtreme Run Time, increased efficiency and improved performance. By constantly monitoring tool and battery operation the intelligent switch module maximizes performance and prevents damage caused by overload or temperature build-up.

This helps to increase lifetime of both tool and battery. This technology combined with a tough outer casing and superb ergonomics means that XR Lithium Ion is truly Tough Outside & Intelligent Inside.

DEWALT are so confident about the design and build quality of the XR Lithium Ion range that we are offering a 3 year XR Product Warranty. This offers the peace of mind that you are choosing a system which you can rely on for years to come.

For full details on entitlement please visit www.DEWALT.eu/3

Ergonomic rubber grip designed for comfort and control

Bright white LED with delay feature improves visibility

Battery: 2.0Ah for Compact Efficiency or 4.0Ah for eXtreme Run Time

Tough magnetic bit holder provides practicality by holding bits or screws securely

Intelligent trigger for better application control

Secure belt hook for improved portability

4.0 AH | 2.0 AH | 1.5 AH

XR LITHIUM ION

Motor efficiency: up to 15% faster application speed and 30% more run time

All metal gearbox increases efficiency and durability



Temperature monitoring prevents tool overheating

Current and voltage shut off protects battery and increases lifetime

INTELLIGENT SWITCH AND ELECTRONIC MODULE - STANDARD THROUGHOUT XR LI-ION RANGE

- Optimum tool efficiency
- Increased power and performance
- eXtreme Run Time
- Overload protection

LITHIUM ION

A NEW EFFICIENT WAY TO WORK

Intelligent Switch and Electronic Module + High Efficiency Motor + 4.0Ah Battery = EXTREME RUN TIME

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 13-14 17/12/2013 17:19

XR LITHIUM ION

BRUSHLESS

DCD790M2 DCD790D2 DCD795D2 DCD795M2

DCN690M2

DCF895M2 DCF886D2 DCD990M2 DCD995M2

DCS355M2

DCS355D2

DCB182

2.0 AH 4.0 AH

DCB183

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 15-16
17/12/2013 17:20

XR LITHIUM ION

BRUSHLESS

EVOLUTION

BRUSHLESS MOTORS reduce friction - better runtime and longer tool life.

High capacity battery packs offer even longer run-time in a very compact size.

Efficient gearboxes increase runtime and durability.

Intelligent electronics module improves performance.

Tough tools engineered for extreme environments.

XTREME RUNTIME



Cooler running Brushless motor - longer runtime and longer tool life.

Standard Brushed motor - Energy from the battery wasted as heat.

A standard motor contains carbon brushes which generate friction. The **XR BRUSHLESS MOTOR** eliminates this wasted energy, maximising the runtime and life of the tool.

RUNTIME THAT CANNOT BE BEATEN

THIS IS NO PLACE TO RUN OUT OF POWER

LITHIUM ION

BRUSHLESS MOTOR + HIGH CAPACITY BATTERIES

2 Speed transmission
0-2000RPM for fast application speed

Intelligent switch module
Delivers optimum speed control

Metal Chuck
Delivers improved durability and solid bit grip

Compact size
181mm length

High capacity battery packs
Available as 4.0 AH or new lightweight 2.0AH execution

DCD795
18V Hammer Drill Driver
Up to 34,000 BPM for fast masonry drilling

LED Worklight
Located on base to eliminate chuck shadow

DCD795 - 18V 2 speed Brushless Hammer Drill Driver & DCD790 - 18V 2 speed Brushless Drill Driver

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 17-18 17/12/2013 17:20

LITHIUM ION

4.0 AH

BRUSHLESS

DCN690 - CORDLESS 90MM FRAMING NAILER - NO GAS

A standard motor contains carbon brushes which cause friction. The XR BRUSHLESS motor eliminates wasted effort maximising the runtime of the tool

LITHIUM ION 3 YEAR GUARANTEE

FAST PROBLEM SOLVING
Tool-free stall release

EASY FAULT FINDING
Fault indicator lights communicate instantly why your nailer has failed to fire - either a low battery or a nail jam



EASY ADJUSTMENT
Tool-free depth adjust helps you work faster

EXTRA GRIP
Profiled nose-piece provides stable platform

EASY ACCESS
Nail jams are simple to clear with the easy access nose-piece

COMPACT SIZE
Fits easily between 400mm centre studs

RAPID FIRE
Unique Bump Mode function allows user to fire 2 nails per second

NAIL CAPACITY
Capable of firing 90mm ring shank nails into C24 structural timber

PERFORM PROTECT™

- LESS NOISE
- LESS RECOIL/VIBRATION
- NO STORAGE OF FLAMMABLE GASES
- NO BREATHING IN TOXIC CHEMICALS

Voltage Capacity	18V/4.0Ah
Magazine Capacity	Up to 55 nails
Magazine Angle	30 - 34 °
Weight	4.2kg
Nail Diameter	2.8 - 3.3 mm
Nail Capacity in C24 structural timber	50-90mm Ring shank
Paper collated nail type	Clipped head or offset
Impact energy	105 Joules
Nails per charge	600+

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 19-20 17/12/2013 17:20

MORE CONTROL, MORE POWER, AND A FASTER SPEED OF CUT

DEWALT redefines the multi-tool category with the launch of a ground breaking oscillating system - including powertools, accessories, and attachments.

Each tool in the range demonstrates innovative features that solve the frustrations that professional users can experience with multi-tool products.

EASE OF USE
Rubber over mould and ergonomic handle design enable comfortable use over extended periods.

LITHIUM ION

CONTROL
Compact 300W motor allows for slim body & well balanced tool.

XR SYSTEM
Both 2.0 Ah & 4.0 Ah high capacity battery packs are interchangeable with over 30 tools in the XR system.

4.0 AH 2.0 AH

EXTREME RUNTIME
A standard motor contains carbon brushes which generate friction, DEWALT XR® Brushless motor eliminates this wasted energy, maximising the life and runtime of the tool.

BRUSHLESS

SPEED
Unique quick change accessory system - tool free & single handed operation.

N DCS355M2 - OSCILLATING KIT

Power
300watt motor delivers 0-22,000 oscillations per minute, providing faster completion of the most demanding tasks.

Responsive Trigger
Variable speed control and dual grip position. Allows for a simple soft start function, and better application control.

Quick-fit dust extraction kit is compatible with the DEWALT Airlock system. Manage dust and reduce clear-up time.

Quick-fit depth stop for ultimate control over application.

Power output	300 watts
Voltage	18 V
Runtime (Ah)	2.0 or 4.0
Speed	0-22.000 min/-1
Weight	1.5 kg (2,0 Ah) 1.7 kg (4,0 Ah)

18 VOLT 4.0 AH 2 TSTAK™

Includes 35 piece accessory set and TSTAK™ kitbox. Also available with 2.0Ah batteries - DCS355D2. Also available as bare unit - DCS355N

Clean cuts on skirting or drywall

Clean grout removal

Cutting heavy fabrics & flooring

Cutting construction timber

Preparing surfaces

Detail sanding

Scraping Adhesives

Pipe cutting

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 21-22
17/12/2013 17:20

THE NEW DEWALT RANGE OF MULTI-TOOL ACCESSORIES

DT20700
93x93mm

AVAILABLE SANDING SHEETS

DT3090-QZ	40g	DT3093-QZ	120g
DT3091-QZ	60g	DT3094-QZ	180g
DT3092-QZ	80g	DT3095-QZ	240g

DT20701
30x43mm



DT20702
44x55mm

DT20703
30x67mm

DT20704
30x43mm

DT20705
65x43mm

DT20706
10x43mm

DT20707
30x43mm

DT20708
ø100mm

DT20709
ø100mm

DT20710
ø100mm

DT20711
ø100mm

DT20712
100mm

DT20713
Multi Piece Sets

DT20714
52mm

DT20715
Multi Piece Sets

DT20716
35mm

DT20717
ø95mm

DT20718
ø95mm

DT20719
ø93mm

MULTI-FIT ACCESSORY Designed to fit all professional competitor units (Fein® (not Supercut), Bosch® and Makita®). Where an adaptor is required, this is provided with all accessories.

TITANIUM Titanium coated cutting surfaces providing extended life and durability.

ToughGrit CARBIDE EDGE™ An optimised carbide grit to maintain an effective abrasive edge, longer

QUICKWAVE™ FOR FAST GROUT REMOVAL A unique edge design delivering faster grout removal.

WHAT'S THE BEST TOOL FOR THE JOB?

	Cat No.	Wood	Wood with Nails	Drywall	PVC	Metal	Asphalt Roofing Shingles	Carpet	Cardboard	Vinyl Flooring	Foam Insulation	Tile	Adhesives Lacquers Sealants
	DT20700	✓		✓	✓	✓							
	■ DT20701	✓	✓	✓	✓								
	■ DT20702	✓	✓	✓	✓								
	■ DT20703	✓		✓	✓								
	■ DT20704	✓		✓	✓								
	■ DT20705	✓		✓	✓								
	■ DT20706	✓		✓	✓								
	■ DT20707					✓							
	■ DT20710	✓	✓	✓	✓								
	■ DT20711	✓	✓	✓	✓								
	DT20708	✓	✓	✓	✓								
	DT20709	✓	✓	✓	✓								
	DT20712						✓	✓	✓	✓	✓		
	▲ DT20714												✓
	▲ DT20716												✓
	DT20717											✓	
	DT20718											✓	
	DT20719												✓
KIT	DT20713	✓	✓	✓	✓								
KIT	DT20715	✓	✓	✓	✓								✓

KEY : ■ Flush Cutting ▲ Scraping

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 23-24 17/12/2013 17:21

18V 90MM FRAMING NAILER — DCN690M2

Nail Diameter	2.8 - 3.3 mm
Magazine angle	30 - 34 °
Nail Length	50 - 90 mm
Magazine capacity	Up to 55 Nails
Firing mode	Bump & Sequential
Impact energy (EPTA 05/2009)	105 J
Temperature Range	-15 to 50 °C
Weight	4.2 kg

8.8 out of 10 reevoo

PERFORM PROTECT.

BRUSHLESS

NO GAS Fires 90mm Ring Shank Nails

LITHIUM ION 18 VOLT 4.0 AH 2

Also available as bare unit - DCN690N

N 18V 3 MODE SDS PLUS HAMMER — DCH253M2

Impact energy (EPTA 05/2009)		2.0 J
Hand/Arm Vibration		6.6 m/s²
No Load Speed		0-1200 rpm
Blows per Minute		0-4500 bpm
Max. Drilling Capacity	Wood	26 mm
	Concrete	24 mm
Weight		3.1 kg

9.2 out of 10 reevoo

PERFORM PROTECT.

LITHIUM ION 18 VOLT 4.0 AH 2

Supplied with side handle

Also available as bare unit - DCH253N. Also available DCH254M2 with Quick Change Chuck

N 18V XRP 3 SPEED BRUSHLESS HAMMER DRILL — DCD995M2

No Load Speed		0-450/1300/2000 rpm
Beats per Minute		0-7650/22100/34000 bpm
Max Torque		80 Nm
Max. Drilling Capacity	Wood	50 mm
	Metal	13 mm
	Masonry	16 mm
Weight		2.13kg

BRUSHLESS

LITHIUM ION 18 VOLT 4.0 AH 2

Supplied with side handle. Also available as drill driver - DCD990M2

N 18V BRUSHLESS COMPACT HAMMER DRILL — DCD795M2

No Load Speed		0-600/2000 rpm
Beats per Minute		0-10200/34000 bpm
Max Torque		60 Nm
Max. Drilling Capacity	Wood	38 mm
	Metal	13 mm
	Masonry	13 mm
Weight		1.88 kg

9.4 out of 10 reevoo

BRUSHLESS

LITHIUM ION 18 VOLT 4.0 AH 2

Also available with 2.0Ah batteries - DCD795D2

18V XRP 3 SPEED HAMMER DRILL — DCD985M2

No Load Speed		0 - 575 / 0 - 1350 / 0 - 2000 rpm
Beats per Minute		0 - 9755 / 0- 22950 / 0 - 34000 bpm
Max Torque		80 Nm
Max. Drilling Capacity	Wood	50 mm
	Metal	13 mm
	Masonry	16 mm
Weight		2.42 kg

LITHIUM ION 18 VOLT 4.0 AH 2

Supplied with side handle. Also available as drill driver - DCD980M2

18V COMPACT HAMMER DRILL — DCD785M2

No Load Speed		0 - 600/ 0 - 2000 rpm
Beats per Minute		0 - 10200 / 0 - 34000
Max Torque		60 Nm
Max. Drilling Capacity	Wood	38 mm
	Metal	13 mm
	Masonry	13 mm
Weight		1.88 kg

LITHIUM ION 18 VOLT 4.0 AH 2

Also available as bare unit - DCD785N

N 18V BRUSHLESS COMPACT DRILL DRIVER — DCD790M2

No Load Speed		0-600/2000 rpm
Max Torque		60 Nm
Max. Drilling Capacity	Wood	38 mm
	Metal	13 mm
Weight		1.84 kg

BRUSHLESS

LITHIUM ION 18 VOLT 4.0 AH 2

Also available with 2.0Ah batteries - DCD790D2

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 25-26 17/12/2013 17:21

N 18V XRP 3 SPEED BRUSHLESS DRILL DRIVER

DCD990M2

No Load Speed		0-450 / 1300 / 2000 rpm
Max. Torque		80 Nm
Max. Drilling Capacity	Wood	50 mm
	Metal	13 mm
Weight		2.08kg

BRUSHLESS

LITHIUM ION 18 VOLT 4.0 AH 2

18V COMPACT DRILL DRIVER

DCD780M2

No Load Speed		0 - 600 / 2000 rpm
Max. Torque		60 Nm
Max. Drilling Capacity	Wood	38 mm
	Metal	13 mm
Weight		1.84 kg

LITHIUM ION 18 VOLT 4.0 AH 2

18V BRUSHLESS 3 SPEED IMPACT DRIVER

DCF895M2

Bit Holder	1/4" (6.35mm)
No Load Speed	0 - 950/0 - 1900 / 0 - 2850 rpm
Impacts per Minute	0 - 1300 / 0 - 2400 / 0 - 3300 ipm
Max Torque	170 Nm
Max. Bolt Diameter	M12
Weight	1.7 kg

BRUSHLESS

LITHIUM ION 18 VOLT 4.0 AH 2

Also available as bare unit - DCF895N

N 18V BRUSHLESS COMPACT IMPACT DRIVER

DCF886D2

Bit holder	1/4" (6.35mm)
No Load Speed	0 - 2800 rpm
Impacts per Minute	0 - 3200 ipm
Max Torque	165 Nm
Max. Bolt Diameter	M12
Weight	1.36 kg

9.6 out of 10 reevoo

BRUSHLESS

LITHIUM ION 18 VOLT 2.0 AH 2

Also available as bare unit - DCF886N

N 18V HIGH TORQUE WRENCH

DCF889M2

Bit Holder	1/2" (12.7mm)
No Load Speed	0 - 1500 rpm
Impacts per Minute	0 - 2300 ipm
Max. Torque	540 Nm
Max. Bolt Diameter	M20
Weight	3.4 kg

LITHIUM ION 18 VOLT 4.0 AH 2

Also available as bare unit - DCF889N
Also available as - DCF889HN (Hog Ring)

18V COMPACT IMPACT WRENCH

DCF880M2

Bit Holder	1/2" (12.7mm)
No Load Speed	0 - 2300 rpm
Impacts per Minute	0 - 2700 ipm
Max. Torque	203 Nm
Max. Bolt Diameter	M16
Weight	1.54 kg

LITHIUM ION 18 VOLT 4.0 AH 2

Also available as bare unit - DCF880N

18V HEAVY DUTY JIGSAW

DCS331M2

No Load Stroke Rate		0 - 3000 spm
Stroke Length		26 mm
Bevel Capacity		45 °
Max. Depth of Cut	Wood	135 mm
	Metal	10 mm
Weight		3.1 kg

LITHIUM ION 18 VOLT 4.0 AH 2

Also available as bare unit - DCS331N

18V HEAVY DUTY CIRCULAR SAW

DCS391M2

Blade Diameter	165 x 20 mm
No Load Speed	3700 rpm
Bevel Capacity	50 °
Max. Depth of Cut at 90°	55 mm
Max. Depth of Cut at 45°	42.1 mm
Weight	3.8 kg

LITHIUM ION 18 VOLT 4.0 AH 2

Also available as bare unit - DCS391N

18V 125MM GRINDER

DCG412M2

Max. Disc Diameter	125 mm
No Load Speed	7000 rpm
Spindle Thread	M14
Weight	2.9 kg

LITHIUM ION 18 VOLT 4.0 AH 2

Also available as bare unit - DCG412N

18V HEAVY DUTY RECIPROCATING SAW

DCS380M2

No Load Stroke Rate	0 - 2950 spm
Stroke Length	28.6 mm
Weight	3.3 kg

LITHIUM ION 18 VOLT 4.0 AH 2

Also available as bare unit - DCS380N

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 27-28 17/12/2013 17:21

18V METAL CUTTING CIRC SAW

DCS373M2

Blade Diameter	140 x 20 mm
Power Output	460 watts
No Load Speed	3700 rpm
Max. Depth of Cut at 90°	43 mm
Weight	3.8 kg

LITHIUM ION 18 VOLT 4.0 AH 2

Also available as bare unit - DCS373N

18V RIGHT ANGLE DRILL

DCD740C1

No Load Speed		0 - 650 0 - 2000 rpm
Max. Torque		33 Nm
Max. Drilling Capacity	Wood	28 mm
	Metal	10 mm
Weight		1.75 kg

LITHIUM ION 18 VOLT 1.5 AH 1

Also available as bare unit - DCD740N

18V 4.0AH BATTERY PACK

DCB182

33% MORE RUNTIME

BATTERY CHARGE INDICATOR

LITHIUM ION 18 VOLT 4.0 AH

N 18V 2.0AH BATTERY PACK

DCB183

LITHIUM ION 18 VOLT 2.0 AH

10.8V, 14.4V, 18V MULTI VOLTAGE XR LI-ION CHARGER

DCB105

LITHIUM ION 18 VOLT 14.4 VOLT 10.8 VOLT

10.8V, 14.4V, 18V MULTI VOLTAGE XR LI-ION CAR CHARGER

DCB119

LITHIUM ION 18 VOLT 14.4 VOLT 10.8 VOLT

N USB CHARGER

DCB090

Voltage	10.8/14.4/18 V

LITHIUM ION 18 VOLT 14.4 VOLT 10.8 VOLT

FOR ELECTRICAL ITEMS WITH USB CHARGER, INCLUDING MOBILE PHONES AND TABLETS

Requires DEWALT XR battery. Battery not supplied

18V PIVOT WORK LIGHT

DCL040

LITHIUM ION 18 VOLT

Supplied without battery

N 18V/14V/10.8V DAB+ RADIO CHARGER

DCR017

Voltage	10.8/14.4/18 V
Radio Power Source	Battery or Mains
Radio Frequencies	DAB(+)/FM
Charging Time	45-120 min
Weight	5.9 kg

8.8 out of 10 reevoo

18 VOLT 14.4 VOLT 10.8 VOLT

N 18V/14V/10.8V FM/AM RADIO

DCR016

Voltage	10.8/14.4/18 V
Radio Power Source	Battery or Mains
Radio Frequencies	FM/AM
Battery chemistry	XR Li-Ion
Weight	5.7 kg

18 VOLT 14.4 VOLT 10.8 VOLT

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 29-30 17/12/2013 17:21

18V COMPACT COMBI & IMPACT DRIVER KIT — DCK285M2

- DCD785 Compact Hammer Drill
- DCF885 Impact Driver
- 2 x 4.0Ah Slide Pack Batteries
- Multi-Voltage Charger
- DS150 TOUGHSYSTEM™ KIT BOX

LITHIUM ION

TOUGHSYSTEM™

18 VOLT | 4.0 AH | 2

18V XRP 3 SPEED COMBI & IMPACT DRIVER KIT — DCK290M2

- DCD985 XRP Hammer Drill (3 speed)
- DCF885 Impact Driver
- 2 x 4.0Ah Slide Pack Batteries
- Multi-Voltage Charger
- DS150 TOUGHSYSTEM™ KIT BOX

LITHIUM ION

TOUGHSYSTEM™

18 VOLT | 4.0 AH | 2

N 18V BRUSHLESS COMPACT HAMMER DRILL & BRUSHLESS IMPACT DRIVER — DCK250M2

- DCD795 Brushless Compact Hammer Drill
- DCF886 Brushless Impact Driver
- 2 x 4.0Ah Slide Pack Batteries
- Multi-Voltage Charger
- DS150 TOUGHSYSTEM™ KIT BOX

LITHIUM ION

TOUGHSYSTEM™

BRUSHLESS

18 VOLT | 4.0 AH | 2

Also available with 2.0Ah batteries - DCK250D2

N 18V XRP 3 SPEED BRUSHLESS COMBI & BRUSHLESS IMPACT DRIVER — DCK255M2

- DCD995 Brushless XRP Hammer Drill (3 speed)
- DCF886 Brushless Impact Driver
- 2 x 4.0Ah Slide Pack Batteries
- Multi-Voltage Charger
- DS150 TOUGHSYSTEM™ KIT BOX

LITHIUM ION

TOUGHSYSTEM™

BRUSHLESS

18 VOLT | 4.0 AH | 2

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 31-32 17/12/2013 17:22

18V XRP 3 SPEED COMBI & GRINDER KIT

DCK293M2

- DCD985 3 Speed Combi
- DCG412 Grinder
- 2 x 4.0Ah Batteries
- Multi-Voltage Charger
- DS300 TOUGHSYSTEM™ KIT BOX

LITHIUM ION

18 VOLT | 4.0 AH | 2 | TOUGHSYSTEM™

18V 3 PIECE KIT (2 SPEED)

DCK381M2

- DCD785 Compact Combi
- DCG412 Grinder
- DCF895 Brushless impact Driver
- 2 x 4.0Ah Batteries
- Multi-Voltage Charger
- DS300 TOUGHSYSTEM™ KIT BOX

LITHIUM ION

18 VOLT | 4.0 AH | 2 | TOUGHSYSTEM™ | BRUSHLESS

18V 5 PIECE KIT (2 SPEED)

DCK591M3

- DCD785 Compact Hammer Drill
- DCF885 Impact Driver
- DCS391 Circular Saw
- DCS380 Reciprocating Saw
- DCL040 LED Pivot Light
- 3 x 4.0Ah Batteries
- Multi-Voltage Charger
- DS150 TOUGHSYSTEM™ KIT BOX
- DS300 TOUGHSYSTEM™ KIT BOX

LITHIUM ION

18 VOLT | 4.0 AH | 3 | TOUGHSYSTEM™

18V 6 PIECE KIT (2 SPEED)

DCK691M3

- DCD785 Compact Hammer Drill
- DCF885 Impact Driver
- DCS391 Circular Saw
- DCG412 Grinder
- DCS331 Jigsaw
- DCL040 LED Pivot Light
- 3 x 4.0Ah Batteries
- Multi-Voltage Charger
- 2 x DS300 TOUGHSYSTEM™ KIT BOX

LITHIUM ION

18 VOLT | 4.0 AH | 3 | TOUGHSYSTEM™

18V 6 PIECE KIT (3 SPEED)

DCK692M3

- DCD985 3 Speed Combi
- DCF885 Impact Driver
- DCS391 Circular Saw
- DCG412 Grinder
- DCS331 Jigsaw
- DCL040 LED Pivot Light
- 3 x 4.0Ah Batteries
- Multi-Voltage Charger
- 2 x DS300 TOUGHSYSTEM™ KIT BOX

9.3 out of 10 reevoo

LITHIUM ION

18 VOLT | 4.0 AH | 3 | TOUGHSYSTEM™

N 18V BRUSHLESS 6 PIECE KIT (3 SPEED)

DCK694M3

- DCD995 Brushless XRP Hammer Drill (3 speed)
- DCF886 Brushless Impact Driver
- DCS391 Circular Saw
- DCG412 Grinder
- DCS331 Jigsaw
- DCL040 LED Pivot Light
- 3 x 4.0Ah Batteries
- Multi-Voltage Charger
- 2x DS300 TOUGHSYSTEM™ KIT BOX

LITHIUM ION

TOUGHSYSTEM™ | BRUSHLESS

18 VOLT | 4.0 AH | 3

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 33-34 17/12/2013 17:22

10.8V DRILL DRIVER

DCD710S2

No Load Speed		0 - 400/ 0 - 1500 rpm
Max. Torque		24 Nm
Max. Drilling Capacity	Wood	19 mm
	Metal	10 mm
Weight		1.1 kg

LITHIUM ION 10.8 VOLT 1.5 AH 2

Also available as bare unit - DCD710N

10.8V IMPACT DRIVER

DCF815S2

Bit Holder	3/8" (9.5mm)
No Load Speed	0 - 2450 rpm
Impacts per Minute	3400 ipm
Max. Torque	130 Nm
Max. Bolt Diameter	6 mm
Weight	1.04 kg

LITHIUM ION 10.8 VOLT 1.5 AH 2

Also available as bare unit - DCF815N

10.8V SCREWDRIVER

DCF610S2

Bit Holder	1/4" (6.35mm)
No Load Speed	0 - 1050 rpm
Max Torque	8 Nm
Weight	0.96 kg

LITHIUM ION 10.8 VOLT 1.5 AH 2

10.8V DRILL DRIVER & IMPACT DRIVER TWIN PACK

DCZ211S2R

- DCD710 Drill Driver
- DCF815 Impact Driver
- 2 x 1.5Ah batteries
- 10.8V Charger
- Organiser case

9.3 out of 10 reevoo

LITHIUM ION 10.8 VOLT 1.5 AH 2

10.8V MINI RECIP SAW

DCS310S2

No Load Stroke Rate	0 - 2700 spm
Stroke Length	14 mm
Weight	1.4 kg

9.1 out of 10 reevoo

LITHIUM ION 10.8 VOLT 1.5 AH 2

Also available as bare unit - DCS310N

10.8V IMPACT WRENCH

DCF813S2

Bit Holder	3/8" (9.5mm)
No Load Speed	0 - 2450 rpm
Impacts per Minute	3400 ipm
Max. Torque	130 Nm
Max. Bolt Diameter	6 mm
Weight	1.04 kg

LITHIUM ION 10.8 VOLT 1.5 AH 2

10.8V IR THERMOMETER

DCT414S1

Screen Size	36 mm
Temperature Range	-29°C to 500°C
Accuracy	± 1.5°C or ± 1.5%, whichever is greater °
Weight	0.5 kg

LITHIUM ION 10.8 VOLT 1.5 AH 1

Also available as bare unit - DCT414N

10.8V LED TORCH

DCL510N

Bulb Type	LED

LITHIUM ION 10.8 VOLT 1.5 AH

Supplied without battery

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 35-36 17/12/2013 17:22

CORDLESS 10.8V XR LI-ION

10.8V IMAGING THERMOMETER

DCT416S1

Screen Size	56 mm
Temperature Range	-10°C to 250°C
Accuracy	Below 100°C ± 2°C, above 100°C ± 2% of reading °
Data Storage	Micro SD Card
Weight	0.56 kg

UNIQUE IMAGE BLEND FUNCTION

LITHIUM ION 10.8 VOLT 1.5 AH 1



10.8V 1.5AH BATTERY PACK

DCB123

Features	Li-Ion slide pack technology
Compatible with	All 10.8V DEWALT Tools
Weight	0.2 kg

LITHIUM ION 10.8 VOLT 1.5 AH

10.8V CHARGER

DCB100

Battery chemistry	Li-Ion
Charging Time	40 min
Weight	0.3 kg

LITHIUM ION 10.8 VOLT

CAMERA CABLE

CAT. NO.	DESCRIPTION
DCT4101	17mm Camera with Cable
DCT4102	9mm Camera with Cable
DCT4103	0.9m Cable Extension
DCT4105	5.8mm Camera with Cable

10.8V INSPECTION CAMERA

DCT410S1

Cable Diameter	17 mm
Cable Length	900 mm
Waterproof cable	Yes
Screen Size - Removeable Wireless	89 mm
Zoom	3 x
Data Storage - Photo & Video	Micro SD Card
Weight	1.0 kg

LITHIUM ION 10.8 VOLT 1.5 AH 1

Also available as bare unit - DCT410N

XR LI-ION BATTERY/CHARGER CHART

LITHIUM ION

		DCB105 18V & 10.8V CHARGER	DCB100 10.8V CHARGER	DCB119 IN CAR CHARGER
DCB182 18V 4.0Ah Li-Ion (18 VOLT 4.0 AH)		✓ 70 Mins		✓ 117 Mins
DCB183 18V 2.0Ah Li-Ion (18 VOLT 2.0 AH)		✓ 40 Mins		✓ 60 Mins
DCB123 10.8V 1.5Ah Li-Ion (10.8 VOLT 1.5 AH)		✓ 40 Mins	✓ 40 Mins	✓ 40 Mins

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 37-38 17/12/2013 17:22

DEWALT NAIL RANGE – EUROCODE 5 (EC5) CERTIFIED

FROM 2013, ANY JOBSITE WHICH DOES NOT COMPLY WITH EC5 REGULATIONS WILL BE IN BREACH OF EUROPEAN LAW

SKU Code	Description	Service Class	Quantity of Nails	Paslode
DT99528RB-QZ	Bright Finish Ring Shank 2.8x50mm	1	2200	141202
DT99628RB-QZ	Bright Finish Ring Shank 2.8x63mm	1	2200	141258/141208
DT99728RB-QZ	Bright Finish Ring Shank 2.8x75mm	1	2200	141226
DT99931RB-QZ	Bright Finish Ring Shank 3.1x90mm	1	2200	-
DT99528RG-QZ	Galv Ring Shank 2.8x50mm	2	2200	142062/142007
DT99628RG-QZ	Galv Ring Shank 2.8x63mm	2	2200	142063/142013
DT99728RG-QZ	Galv Ring Shank 2.8x75mm	2	2200	-
DT99931RG-QZ	Galv Ring Shank 3.1x90mm	2	2200	142038
DT99528RH-QZ	HotDip Galv Ring Shank 2.8x50mm	3	1100	-
DT99628RH-QZ	HotDip Galv Ring Shank 2.8x63mm	3	1100	141260/141211
DT99708RH-QZ	HotDip Galv Ring Shank 2.8x70mm	3	1100	-
DT99731RH-QZ	HotDip Galv Ring Shank 3.1x75mm	3	1100	141265
DT99931RH-QZ	HotDip Galv Ring Shank 3.1x90mm	3	1100	-
DT99628RS-QZ	S Steel Ring Shank 2.8x63mm	3	1100	142047
DT99628PB-QZ	Bright Fin Smooth Shank 2.8x63mm	1	2200	-
DT99931PB-QZ	Bright Fin Smooth Shank 3.1x90mm	1	2200	141233/141242
DT99628PG-QZ	Galv Smooth Shank 2.8x63mm	2	2200	-
DT99931PG-QZ	Galv Smooth Shank 3.1x90mm	2	2200	141234

Why is Eurocode 5 certification important?

Eurocode 5 regulations apply a performance standard to the type of nails used in timber framing or roofing.

EC5 Nails fall into 3 service classes:
Service Class 1 - Heated indoor environment
Service Class 2 - Unheated indoor environment/protected outdoor environment
Service Class 3 - Unprotected outdoor environment or exposed to weather

DEWALT Nails fully comply with EC5 regulations - and each box is clearly marked and colour coded according to service class

GUARANTEED TOUGH®
Contact your local stockist for information.

NAILS MADE IN GERMANY

NAILS TO FIT DCN690

APPLICATIONS
- 1st Fix nails.
- Suitable for roofing timbers, fascias, panelling, decking and fencing.

FEATURES
- Eurocode 5 rated.
- Clipped head design.
- Heat activated tips.
- Paper tape.
- Premium quality.
- Will fit selected other manufacturers first fix nail guns

NAILS FOR 1st FIX CORDLESS NAILERS (34°) TO FIT DCN690

Cat. No.	Description	Type	Diameter mm	Length mm	Pack Qty.	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT99528RB-QZ	Bright Finish Ring Shank 2.8 x 50mm Nails	Angled 34°	2.8	50	2200	1	£51.58	€61.39
DT99628RB-QZ	Bright Finish Ring Shank 2.8 x 63mm Nails	Angled 34°	2.8	63	2200	1	£55.11	€65.60
DT99728RB-QZ	Bright Finish Ring Shank 2.8 x 75mm Nails	Angled 34°	2.8	75	2200	1	£61.23	€72.89
DT99931RB-QZ	Bright Finish Ring Shank 3.1 x 90mm Nails	Angled 34°	3.1	90	2200	1	£74.80	€89.03
DT99528RG-QZ	Galvanised Ring Shank 2.8 x 50mm Nails	Angled 34°	2.8	50	2200	1	£62.90	€74.87
DT99628RG-QZ	Galvanised Ring Shank 2.8 x 63mm Nails	Angled 34°	2.8	63	2200	1	£71.40	€84.99
DT99728RG-QZ	Galvanised Ring Shank 2.8 x 75mm Nails	Angled 34°	2.8	75	2200	1	£78.20	€93.07
DT99931RG-QZ	Galvanised Ring Shank 3.1 x 90mm Nails	Angled 34°	3.1	90	2200	1	£91.80	€109.27
DT99528RH-QZ	Hot Dip Galvanised Ring Shank 2.8 x 50mm Nails	Angled 34°	2.8	50	1100	1	£74.80	€89.03
DT99628RH-QZ	Hot Dip Galvanised Ring Shank 2.8 x 63mm Nails	Angled 34°	2.8	63	1100	1	£79.90	€95.10
DT99731RH-QZ	Hot Dip Galvanised Ring Shank 3.1 x 75mm Nails	Angled 34°	3.1	75	1100	1	£88.40	€105.22
DT99931RH-QZ	Hot Dip Galvanised Ring Shank 3.1 x 90mm Nails	Angled 34°	3.1	90	1100	1	£119.00	€141.65
DT99628RS-QZ	Stainless Steel Ring Shank 2.8 x 63mm	Angled 34°	2.8	63	1100	1	£160.34	€190.85
DT99628PB-QZ	Bright Finish Smooth Shank 2.8 x 63mm Nails	Angled 34°	2.8	63	2200	1	£54.23	€64.54
DT99931PB-QZ	Bright Finish Smooth Shank 3.1 x 90mm Nails	Angled 34°	3.1	90	2200	1	£76.50	€91.05
DT99628PG-QZ	Galvanised Smooth Shank 2.8 x 63mm Nails	Angled 34°	2.8	63	2200	1	£68.27	€81.26
DT99931PG-QZ	Galvanised Smooth Shank 3.1 x 90mm Nails	Angled 34°	3.1	90	2200	1	£85.00	€101.17

NAILS TO FIT DC618

NAILS FOR CORDLESS FINISHING NAILERS (16 GAUGE 20°) TO FIT DC618

Cat. No.	Description	Type	Diameter mm	Length mm	Pack Qty.	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT9900-QZ	Galvanised	Angled 20°	1.39 x 1.61	32	2500	1	£27.27	€32.47
DT9901-QZ	Galvanised	Angled 20°	1.39 x 1.61	38	2500	1	£30.68	€36.52
DT9902-QZ	Galvanised	Angled 20°	1.39 x 1.61	44	2500	1	£31.81	€37.86
DT9903-QZ	Galvanised	Angled 20°	1.39 x 1.61	50	2500	1	£34.08	€40.56
DT9904-QZ	Galvanised	Angled 20°	1.39 x 1.61	63	2500	1	£38.61	€45.97
DT9910-QZ	Stainless Steel	Angled 20°	1.39 x 1.61	32	2500	1	£81.82	€97.39
DT9911-QZ	Stainless Steel	Angled 20°	1.39 x 1.61	38	2500	1	£95.44	€113.60
DT9912-QZ	Stainless Steel	Angled 20°	1.39 x 1.61	44	2500	1	£110.00	€129.86
DT9913-QZ	Stainless Steel	Angled 20°	1.39 x 1.61	50	2500	1	£118.17	€140.66
DT9914-QZ	Stainless Steel	Angled 20°	1.39 x 1.61	63	2500	1	£145.44	€173.13

PLEASE SEE OUR DEDICATED ACCESSORY CATALOGUE FOR THE FULL RANGE OF DEWALT ACCESSORIES

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 39-40 17/12/2013 17:22

EXTREME DEWALT IMPACT SETS

EXTREME DEWALT IMPACT

APPLICATIONS
- For all heavy duty screwdriving applications.

Cat. No.	Pieces	Description	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT70501B-QZ	29	Ph, Ph2x6, Ph3, Pz1, Pz2x6, Pz3, T10, T15, T20x3, T25x2, T30x1, Ph2x50mm, Pz2x50mm, 8mm Hex, 10mm Hex, Magnetic holder	1	£49.75	€59.22
DT70515-QZ	34	Ph1, Ph2x2, Ph3, SL6, SL8, T15x2, T20x3, T25x3, T30x3, Pz1x3, Pz2x8, Pz3x2, nut driver x2, Bit holder	1	£44.88	€53.42

DEWALT IMPACT RATED SOCKET SETS

Cat. No.	Pieces	Description	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT7506-QZ	17	Impact Socket Set (6,8,10,11,12,13,14,16,17,18,19,20,21, 22,24,27mm & 1/4" to 1/2" Adaptor)	1	£193.23	€229.99
DT7507-QZ	9	Impact Socket Set (10,13,15,17,19,22,24,27mm & 1/4" to 1/2" Adaptor)	1	£105.40	€125.45
DT7512-QZ	1	1/4" to 1/2" Impact Driver Adaptor	1	£20.38	€24.25

DRILLING ACCESSORY SETS - MASONRY

MASONRY DRILL BIT SETS

Cat. No.	Pieces	Description	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT6952-QZ	5	4,5,6,8,10mm	1	£8.88	€10.57

EXTREME DEWALT MASONRY

EXTREME DEWALT® MASONRY DRILL BIT SETS

Cat. No.	Pieces	Description	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT6956-QZ	5	4,5,6,8,10mm	1	£13.37	€15.91
DT7928B-QZ	19	Masonry drill bits. 4,5,5.5,6,7,8mm Ph2x4, Pz2x4, Ph2x50mm, Pz2x50mm, Slotted 5.5x50mm, Magnetic holder, Magnetic drive guide.	1	£58.80	€69.99

EXTREME 2 SDS-Plus

SDS-PLUS EXTREME DEWALT® 2 DRILL BIT SETS

Cat. No.	Pieces	Description	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT9700-QZ	4	5,6,8,10mm	1	£22.89	€27.24
DT9701-QZ	7	5,6x2,8x2,10,12mm	1	£44.51	€52.98
DT9702-QZ	4	5.5,7,8,10mm	1	£19.07	€22.69

DRILLING ACCESSORY SETS - METAL

EXTREME 2 METAL

EXTREME DEWALT® 2 METAL DRILL BIT SETS

Cat. No.	Pieces	Description	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT7920B-QZ	13	Metal drill bits 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7mm	1	£54.27	€64.61
DT7921B-QZ	13	Metal drill bits 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7mm	1	£61.09	€72.70
DT7926-XJ	29	Metal drill bits 1,1.5, 2, 2.5, 3, 3.2, 3.3, 3.5, 4, 4.2, 4.5, 4.8, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13mm	1	£144.92	€172.49

CORDLESS CIRCULAR SAW BLADE

FEATURES
- Heavy duty tungsten carbide tips maintain cutting edge for longer blade life.
- Thin kerf blade design - yields more cuts per charge by minimising battery drain.
- Triple action sharpening process which grinds the tip to a razor sharp edge for a smooth finish.
- Specifically designed for use with DEWALT® Cordless Trimsaws. The range comprises of blades for cutting wood and for cutting plastic & non-ferrous metals.

CORDLESS CIRCULAR SAW BLADE

Cat. No.	Diameter /Bore	Plate/ Kerf	Teeth	Grind	Rake	General Purpose	UK LIST PRICE	IRE LIST PRICE
DT1209-QZ	165/20	1.5	24	ATB	+20°	●	£46.23	€55.02

WOOD & METAL CUTTING JIGSAW BLADE SETS

T-SHANK

Cat. No.	Description	Contents	UK LIST PRICE	IRE LIST PRICE
DT2290-QZ	10 piece jigsaw kit - wood cutting	DT2165 x 2, DT2050 x 1, DT2168 x 1, DT2177 x 2, DT2166 x 2, DT2075 x 2 (Bosch equivalent T101B, T119BO, T101AO, T111C, T144D, T144DP)	£20.09	€23.92
DT2292-QZ	10 piece jigsaw kit - metal cutting	DT2160 x 3, DT2172 x 2, DT2054 x 1, DT2161 x 2, DT2163 x 2 (Bosch equivalent T118A, T118G, T118EOF, T118B, T127D)	£20.10	€23.92
DT2294-QZ	10 piece jigsaw kit - wood/metal cutting	DT2165 x 2, DT2050 x 2, DT2163 x 2, DT2177 x 2, DT2160 x 2 (Bosch equivalent T101B, T119BO, T127D, T111C, T118A)	£20.10	€23.49

RECIPROCATING SAW BLADE SETS

RECIPROCATING SAW BLADE SETS

Cat. No.	Description	Contents	UK LIST PRICE	IRE LIST PRICE
DT2440-QZ	6 piece set and storage case	DT2307 x 2, DT2349 x 2, DT2353 x 2	£33.62	€40.01
DT2441-QZ	12 piece set and storage case	DT2307 x 1, DT2349 x 3, DT2359 x 2, DT2353 x 3, DT2361 x 3	£50.43	€60.03

PLEASE SEE OUR DEDICATED ACCESSORY CATALOGUE FOR THE FULL RANGE OF DEWALT ACCESSORIES

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 41-42 17/12/2013 17:22

36V JIGSAW

DC308KL

No Load Stroke Rate		0 - 2700 spm
Stroke Length		26 mm
Bevel Capacity		45°
Max. Cutting Capacity	Wood	130 mm
	Metal	10 mm
Weight		3.4 kg

LITHIUM ION 36 VOLT 2

36V GRINDER

DC415KL

Max. Disc Diameter	125 mm
No Load Speed	6500 rpm
Spindle Thread	M14
Weight	3.5 kg

LITHIUM ION 36 VOLT 2

Also available as bare unit - DC415KN

36V 3 MODE SDS-PLUS HAMMER

DC234KL

Impact energy (EPTA 05/2009)		2.1 J
Blows per Minute		0 - 4300 bpm
Hand/Arm Vibration		8.5 m/s2
Max. Drilling Capacity	Wood	30 mm
	Metal	13 mm
	Concrete	26 mm
Weight		3.8 kg

10 out of 10 reevoo

D25302DH
Integrated Dust Extraction

LITHIUM ION 36 VOLT PERFORM PROTECT 2

36V RECIP SAW

DC305KL

No Load Stroke Rate	0 - 3000 spm
Stroke Length	29 mm
Weight	3.8 kg

LITHIUM ION 36 VOLT 2

Also available as bare unit - DC305KN

36V HAMMER DRILL

DC901KL

No Load Speed		0 - 400 / 0 - 1200 / 0 - 1600 rpm
Beats per Minute		0 - 6800 / 0 - 20400 / 0- 27200 bpm
Max Torque		42 Nm
Max. Drilling Capacity	Wood	65 mm
	Metal	13 mm
	Masonry	16 mm
Weight		3.0 kg

LITHIUM ION 36 VOLT 2

Also available as bare unit - DC901KN

36V CIRC SAW

DC300KL

Blade Diameter	184 mm
No Load Speed	4000 rpm
Bevel Capacity	50°
Max. Depth of Cut at 90°	62 mm
Max. Depth of Cut at 45°	41 mm
Weight	4.5 kg

LITHIUM ION 36 VOLT 2

36V HIGH TORQUE WRENCH

DC800KL

Bit Holder	1/2"
No Load Speed	1400 rpm
Impacts per Minute	2500 ipm
Max. Torque	440 Nm
Max. Bolt Diameter	M20
Weight	3.4 kg

LITHIUM ION 36 VOLT 2

36V TORCH

DC509

Bulb Type	Xenon
Weight (incl. battery)	0.52 g

LITHIUM ION 36 VOLT

Supplied without batteries

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 43-44 17/12/2013 17:22

18V NICAD/NIMH/NANO

CAT. NO.	DESCRIPTION
DC618KB	18V 16 Gauge cordless nailer, 2 x 2.6Ah NiMH, charger, kitbox
DC827N	18V Compact Impact Wrench Bare Unit
DC822N	18V Compact Impact Driver Bare Unit
DC727N	18V Compact Hammer Drill Bare Unit
DC213N	18V 3 Mode SDS Plus Hammer Bare Unit
DC330N	18V Jigsaw Bare Unit

CAT. NO.	DESCRIPTION
DC390N	18V Circular Saw Bare Unit
DC385N	18V Reciprocating Saw Bare Unit
DC411N	18V 125mm Grinder Bare Unit
DC520N	18V Drywall Gun Bare Unit
DC515N	18V Handheld Wet & Dry Vacuum Bare Unit
DC527N	18V Fluorescent Light Bare Unit

These batteries fit the illustrated products

DE9180

DE9096

DE9503

DC618KB

DC827N

DC822N

DC727N

DC213N

DC330N

DC390N *

DC385N

DC520N

DC411N

DC515N *

DC527N

* Supplied without battery

12V NICAD/NIMH

CAT. NO.	DESCRIPTION
DC740KA	12V Compact Drill Driver, 2 x 1.3 Ah NiCad, charger, kitbox

This battery fits the illustrated product

DE9071

DC740KA

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 45-46 17/12/2013 17:23

N 7.2V MOTION ACTIVATED SCREWDRIVER

DCF680G2

Bit Holder	1/4" (6.35mm)
No Load Speed	0-430 rpm
Max. Torque	4 Nm
Weight	0.5 kg

LITHIUM ION

9.2 out of 10 reevoo

DCF680 COMPACT SCREWDRIVER - FEATURING GYROSCOPIC TECHNOLOGY

- The motion of your hand determines speed and drive direction for ultimate control
- ¼ inch drop in load chuck
- LED light ring for visibility in tight spaces
- State of Charge indicator

LITHIUM ION

SWITCH BETWEEN PISTOL OR IN-LINE GRIP POSITIONS

N 7.2V LI-ION

CAT. NO.	DESCRIPTION
DCB080	7.2V 1Ah Li-Ion Battery Pack
DCB095	7.2V Li-Ion Charger
DCL023N	7.2V Flashlight Bare Unit

DCB080

DCB095

DCL023N

BATTERY/CHARGER CHART

	Amp Hours	1 HOUR	40 MINUTES	1 HOUR
NICAD		**DE9000**	**DE9135**	**DE9136**
DE9095 NiCd	12V DE9074 1.3 Ah / 12V DE9071 2.0 Ah		✓	✓
	14.4V DE9094 1.3 Ah / 14.4V DE9091 2.0 Ah		✓	✓
	18V DE9098 1.3 Ah / 18V DE9095 2.0 Ah		✓	✓
NiMH		**DE9000**	**DE9135**	**DE9136**
DE9503 NiMH	14.4V DE9502 2.6 Ah		✓	✓
	18V DE9503 2.6 Ah		✓	✓
NANO Li-Ion		**DE9000**	**DE9135**	**DE9136**
DE9180 **DE9360** LITHIUM ION	18V DE9180 2.0 Ah		✓	✓
	36V DE9360 2.0 Ah	✓		

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 47-48

17/12/2013 17:23

LASERS

To help you choose the right laser - please consider the following • Manual or self levelling • Laser functions • Working inside or outside • Working range/distance

		Self Level	DW079PKH	DW075PK	DW074K	DW096	DW089K	DW088K	DW085K	DW083K
LEVEL	Horizontal Levelling	Interior	●	●	●		●	●	●	
LEVEL	Horizontal Levelling	Exterior	●	●	●	●	○	○	○	
VERTICAL	Vertical Alignment	Interior	●	●	●		●	●	●	●
VERTICAL	Vertical Alignment	Exterior	●	●	●		○	○	○	○
FACE SQUARE		**Face Square** Interior					●	●		
LEVEL & SQUARE		**Level & Square** Interior					●		●	
LEVEL & SQUARE		**Level & Square** Exterior					○		○	
90° SQUARE		**90° Square** Interior					●			
VERTICAL & SQUARE		**Vertical & Square** Interior	●	●	●		●	●	●	
TRANSFER		**Vertical Transfer** Interior	○	○	○		●	○	●	●
ANGLE TRANSFER		**Angle Transfer** Interior & Exterior				●				
ANGLE SETTING		**Angle Setting** Interior								
DISTANCE ESTIMATION		**Distance Estimation** Exterior				●				
VISIBLE* DISTANCE	Optimum Working Range	Visible working range (m)	30	15	15	100	15	10	30	30
DETECTOR	Optimum Working Range	Working range with detector (m)	300	100	100	N/A	50	50	N/A	N/A

*Optimum working range is based upon well illuminated areas and without aids. The optimum range can be exceeded in certain light conditions

● Gold Choice ○ Silver Choice

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 49-50 17/12/2013 17:23

CROSS LINE LASER

DW088K

Levelling accuracy	+/-0.3 mm/m
Direction of beams	vertical / horizontal
Indoor Visibility Range	10 m
Power source	AA batteries
Self-Levelling Range	+/-4 °
Tripod connection	1/4" (6.35mm)

9.7 out of 10 reevoo

DE0892
Detector for DW088/089

Also available with detector for exterior applications - DW088KD

MULTI LINE LASER

DW089K

Levelling accuracy	+/-0.3 mm/m
Number of beams	3
Direction of beams	vertical/ horizontal/ side
Self-Levelling Range	+/-4 °
Power source	AA batteries
Indoor Visibility Range	15 m
Tripod connection	1/4" (6.35mm)

9.5 out of 10 reevoo

Also available with detector for exterior applications - DW089KD

N 3 DOT BEAM LASER POINTER

DW083K

Levelling accuracy	+/-0.2 mm/m
Number of beams	3
Direction of beams	up/down/ level
Self-Levelling Range	+/- 4 °
Power source	AA batteries
Indoor Visibility Range	30 m
Tripod connection	1/4" (6.35mm)

N 5 DOT BEAM LASER POINTER

DW085K

Levelling Accuracy	+/-0.2 mm/m
Number of beams	5
Direction of beams	up/down/ level/square
Self-levelling range	+/- 4 °
Indoor Visibility Range	30 m
Power source	AA batteries
Tripod connection	1/4" (6.35mm)

N 50M LASER DISTANCE MEASURE

DW03050

Levelling Accuracy	+/- 1.5mm/m
Indoor Visibility Range	50 m
Power source	AAA batteries
Volume Calculations	Yes
Pythagoras Calculations	Yes

N 100M LASER DISTANCE MEASURE

DW03101

Levelling Accuracy	+/- 1mm/m
Indoor Visibility Range	100m
Power source	AAA batteries
Volume Calculations	Yes
Pythagoras Calculations	Yes
Triangular Area Calculations	Yes
Integrated Inclinometer	Yes

HORIZONTAL SELF LEVELLING ROTARY LASER

DW074K

Levelling accuracy	+/-0.2 mm/m
Self-Levelling Range	+/- 5 °
Indoor Visibility Range	15 m
Power Source	D cell batteries
Max. Working Range with Receiver	100 m
Rotation speed	0, 60, 600 rpm
Tripod connection	5/8"

Manual levelling in vertical (alkaline battery)

HORIZONTAL & VERTICAL SELF LEVELLING ROTARY LASER

DW075PK

Levelling Accuracy	+/-0.2 mm/m
Self-levelling range	+/- 5 °
Indoor Visibility Range	15 m
Power Source	D cell batteries
Max. Working Range with Receiver	100 m
Rotation speed	0, 60, 600 rpm
Tripod connection	5/8"

HORIZONTAL & VERTICAL SELF LEVELLING ROTARY LASER KIT

DW079PKH

Levelling Accuracy	+/-0.1 mm/m
Self-levelling range	+/- 5 °
Indoor Visibility Range	30 m
Max. Working Range with Receiver	300 m
Sloping range in X and Y axis	+/- 5 °
Power Source	9.6V - 18V NiCd/ NiMH/Li-Ion Nano DEWALT batteries
Tripod connection	5/8"

LASER ATTACHMENTS

CAT. NO.	DESCRIPTION
DE0730	Laser target card
DE0735	Laser Tripod elevated
DE0736	Laser Tripod
DE0737	Grade rod
DE0772	Detector
DE0881	Tripod
DE0882	Pole

DE0730

DE0735

DE0881

DE0737

DE0772

DE0736

DE0882

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 51-52 17/12/2013 17:23

DEWALT's hammer design philosophy is to provide our customers with the most durable, powerful, safest and comfortable tools.

HAMMERS

DURABILITY - GERMAN DESIGN & ENGINEERING

All DEWALT hammers meet the most stringent expectations of the professional end user and deliver best in class life. DEWALT hammers undergo a range of extensive tests to ensure that every product meets the most demanding tasks in the most punishing jobsite conditions.

INNOVATIVE FEATURES

Innovation is the key in the DEWALT hammers range. This has been recognised by the industry as DEWALT hammers have won numerous awards in recent years, such as the international IF award for excellence in design standards.

DEWALT - THE LEADING FORCE IN HAMMERS

LOWEST VIBRATION, HIGHEST PRODUCTIVITY

Using unique anti-vibration systems, the 6kg, 7kg, 10kg, 16kg and 30kg hammers reduce vibration to a new low level on the market allowing the user to work for longer periods of time increasing productivity, comfort and safety.

Counter Balance System: A spring loaded counterbalance mass oscillates in the opposite direction to the source of vibration forces, absorbing them before reaching the users hands. This revolutionary system reduces tri-axial vibration levels by up to 30%.



Floating Handle System: This has been designed to completely "suspend" the back handle from the main house, achieving the highest vibration reduction possible.

COMPLETE TORQUE CONTROL

The Complete Torque Control offers a patented two step clutch system. This system allows the tool to operate safely at both low and high torque settings, depending on the application.

90% of all Applications

Clutch Setting #1 Maximum Control 40Nm Torque

Clutch Setting #2 Maximum Control 80Nm Torque



CORDLESS INNOVATION

The DEWALT cordless SDS hammer range is constantly evolving. Offering solutions in the 36V and 18V platforms, DEWALT cordless SDS hammer users have a tool for all cordless hammer applications. See pages 18 & 40.

Their extremely comfortable and ergonomic design coupled with Active Vibration Control allows users to benefit from the advantages of a cordless tool without losing comfort or power.

The unique spring loaded system de-couples the internal mechanism, from the external housings resulting in extremely low vibration levels.

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 53-54 17/12/2013 17:24

22MM 3 MODE SDS-PLUS HAMMER

D25013K

Power Input	650 watts
No Load Speed	0 - 1550 rpm
Blows per Minute	0 - 4550 bpm
Impact energy (EPTA 05/2009)	1.8 J
Hand/Arm Vibration	11.0 m/s2
Max. Drilling Capacity – Wood	30 mm
Max. Drilling Capacity – Metal	13 mm
Max. Drilling Capacity – Concrete	22 mm
Max. Drilling Capacity – Core bit	50 mm
Weight	2.3 kg

9.4 out of 10 reevoo

26MM 3 MODE SDS-PLUS HAMMER

D25123K

Power Input	800 watts
No Load Speed	0 - 1150 rpm
Blows per Minute	0 - 4300 bpm
Impact energy (EPTA 05/2009)	2.8 J
Hand/Arm Vibration	17.8 m/s2
Max. Drilling Capacity – Wood	30 mm
Max. Drilling Capacity – Metal	13 mm
Max. Drilling Capacity – Concrete	26 mm
Max. Drilling Capacity – Core bit	65 mm
Weight	2.4 kg

9.5 out of 10 reevoo

Also available D25124K with Quick Change Chuck

26MM 3 MODE LOW VIBRATION SDS-PLUS HAMMER

D25323K

Power Input	800 watts
No Load Speed	0 - 1150 rpm
Blows per Minute	0 - 4300 bpm
Impact energy (EPTA 05/2009)	2.8 J
Hand/Arm Vibration	10.5 m/s2
Max. Drilling Capacity – Wood	30 mm
Max. Drilling Capacity – Metal	13 mm
Max. Drilling Capacity – Concrete	26 mm
Max. Drilling Capacity – Core bit	65 mm
Weight	2.3 kg

PERFORM PROTECT

5KG, 6KG & 7KG SDS MAX HAMMERS

CAT. NO.	DESCRIPTION
D25501K	5kg, 1100 watts, 40mm, Drilling/Chipping
D25601K	6kg, 1250 watts, 45mm, Drilling/Chipping
D25721K	7kg, 1350 watts, 48mm, Drilling/Chipping
D25820KIT	5.8kg, 1150 watts, Dedicated Chipping Hammer

PERFORM PROTECT

D25601K

10KG DEMOLITION HAMMER

D25902K D25899K

	D25902K	D25899K
Power Input	1550 watts	1500 watts
Blows per Minute	1020 - 2040 bpm	2040 bpm
Impact energy (EPTA 05/2009)	19 J	17.9 J
Hand/Arm Vibration	8.0 m/s2	12.0 m/s2
Weight	10.9 kg	9.9 kg

D25902K

D25899K

9.0 out of 10 reevoo

PERFORM PROTECT

D25902 ONLY

16KG PAVEMENT BREAKER

D25960K

Power Input	1600 watts
Blows per Minute	1450 bpm
Impact energy (EPTA 05/2009)	35 J
Tool Holder	28mm HEX
Hand/Arm Vibration	6.8 m/s2
Weight	18.4 kg

PERFORM PROTECT

30KG PAVEMENT BREAKER

D25980

Power Input	2100 watts
Blows per Minute	900 bpm
Impact energy (EPTA 05/2009)	52 J
Tool Holder	28mm HEX
Hand/Arm Vibration	4.8 m/s2
Weight	31.0 kg

PERFORM PROTECT

Trolley available separately - D259801

N 32MM 3 MODE SDS-PLUS MULTI DRILL KIT

D25414KT

Power Input	1000 watts
No Load Speed	0 - 820 rpm
Blows per Minute	0 - 4700 bpm
Impact energy (EPTA 05/2009)	4.2 J
Hand/Arm Vibration	8.2 m/s2
Max. Drilling Capacity – Wood	40 mm
Max. Drilling Capacity – Metal	16 mm
Max. Drilling Capacity – Concrete	6 - 32 mm
Max. Drilling Capacity – Core bit	100 mm
Weight	4.3 kg

TSTAK™

PERFORM PROTECT

DUST MANAGEMENT

CAT. NO.	DESCRIPTION
D25301D	SDS - Plus Dust Extraction Telescope (fits all 2KG and L-Shape mains and cordless hammers)
DWH050K	Large Hammer Dust Extraction (Drilling & Hole Cleaning)
DWH051K	Large Hammer Dust Extraction (Chipping) - 5kg to 12kg
DWH052K	Large Hammer Dust Extraction (Chipping) - 16kg & 30kg

PERFORM PROTECT

DWH050K

D25301D
Tool not supplied

DWH051K
DWH052K

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 55-56 17/12/2013 17:24

EXTREME DEWALT® XLR FULL HEAD CARBIDE SDS-Plus DRILL BITS

PERFORM PROTECT | XLR | SDS-plus

APPLICATIONS

- Suitable for drilling plug & anchor holes in masonry, all types of stone and concrete.

FEATURES

- New solid carbide drill tip with optimised 4 cutter geometry offers the highest levels of drill bit life and durability.
- 4 cutter geometry drills a more concentric hole to offer the best fixing retention.
- 4 flute spiral aids consistent drilling speed and efficient debris removal.

SINGLE PACKS

Cat. No.	Diameter mm	Length mm	Working Length mm	Pack Qty.	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT8907-QZ	5	110	50	1	1	£5.17	€6.15
DT8908-QZ	5	160	100	1	1	£7.61	€9.06
DT8909-QZ	5	210	150	1	1	£7.48	€8.90
DT8910-QZ	5.5	110	50	1	1	£6.03	€7.18
DT8911-QZ	5.5	160	100	1	1	£8.36	€9.95
DT8912-QZ	6	110	50	1	1	£6.84	€8.15
DT8913-QZ	6	160	100	1	1	£8.56	€10.19
DT8914-QZ	6	210	150	1	1	£9.13	€10.87
DT8915-QZ	6	260	200	1	1	£8.44	€10.06
DT8916-QZ	6.5	160	100	1	1	£9.89	€11.78
DT8917-QZ	6.5	210	150	1	1	£7.62	€9.07
DT8918-QZ	6.5	260	200	1	1	£9.06	€10.78
DT8919-QZ	6.5	310	250	1	1	£10.61	€12.63
DT8920-QZ	7	160	100	1	1	£8.43	€10.04
DT8921-QZ	7	210	150	1	1	£9.87	€11.75
DT8922-QZ	8	110	50	1	1	£6.50	€7.73
DT8923-QZ	8	160	100	1	1	£8.26	€9.83
DT8924-QZ	8	210	150	1	1	£8.41	€10.31
DT8925-QZ	8	260	200	1	1	£9.55	€11.40
DT8926-QZ	8	310	250	1	1	£11.45	€13.63
DT8927-QZ	8	460	400	1	1	£22.55	€26.84
DT8928-QZ	10	160	100	1	1	£8.47	€10.08
DT8929-QZ	10	210	150	1	1	£9.65	€11.47
DT8930-QZ	10	260	200	1	1	£10.56	€12.57
DT8931-QZ	10	310	250	1	1	£12.40	€14.77
DT8932-QZ	10	460	400	1	1	£25.40	€30.22
DT8933-QZ	12	160	100	1	1	£10.85	€12.91
DT8934-QZ	12	200	150	1	1	£11.68	€13.90
DT8935-QZ	12	260	200	1	1	£12.44	€14.81
DT8936-QZ	12	310	260	1	1	£13.34	€15.88
DT8937-QZ	12	460	410	1	1	£25.59	€30.47

XLR SDS-Plus CHISELS

APPLICATIONS

- For light chipping and chiselling of tile, mortar, glazing compounds and other masonry products for hammers with rotational stop.

FEATURES

- Dual Steel design is high impact and shock resistant.
- Wear resistant tip increases. durability and reduces down time.
- High durability, shock resistant shaft prevents breakage to increase productivity.

PERFORM PROTECT

SINGLE PACKS

Cat. No.	Description	Width mm	Length mm	Pack Qty.	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT6978-QZ	300MM POINTED CHISEL SDS+		300	1	1	£20.40	€24.29
DT6979-QZ	200MM X 25MM FLAT (no ribs) CHISEL SDS+	25	200	1	1	£20.40	€24.29
DT6984-QZ	200MM X 40MM FLAT (no ribs) CHISEL SDS+	40	200	1	1	£28.56	€34.00

PLEASE SEE OUR DEDICATED ACCESSORY CATALOGUE FOR THE FULL RANGE OF DEWALT ACCESSORIES

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 57-58 17/12/2013 17:24

115MM GRINDER

D28113K

Power Input	900 watts
No Load Speed	10000 rpm
Max. Disc Diameter	115 mm
Weight	2.1 kg

10 out of 10 reevoo

Also available without kitbox - D28113

115MM & 125MM GRINDERS

CAT. NO.	DESCRIPTION
D28065	125mm, 1250 watts with Dust Ejection System
DW831	125mm, 1400 watts
D28117	115mm, 1100 watts low vibration

PERFORM PROTECT

D28117 only

D28065

230MM GRINDERS

CAT. NO.	DESCRIPTION
D28415	2200 watts Low Vibration
D28490	2000 watts
D28492K	2200 watts

D28415

125MM MORTAR RAKING KIT 115MM/125MM SURFACING SHROUD

DWE46101 DWE46150

	DWE46101
Power Input	1100 watts
No Load Speed	10000 rpm
Max. Disc Diameter	125 mm
Weight	1.8 kg

PERFORM PROTECT

DWE46150
115mm/125mm Surfacing Shroud

355MM ABRASIVE CHOP SAWS

D28715 D28710

		D28715	D28710
Power Input		2200 watts	2200 watts
No Load Speed		4000 rpm	3800 rpm
Wheel Diameter		355 mm	355 mm
Max. Cutting Capacity at 90°	Square Profile	120 x 120 mm	120 x 120 mm
	Rectangular Profile	100 x 200 mm	115 x 130 mm
	L-Shape Profile	140 x 140 mm	137 x 137 mm
	Rounded Profile	130 mm	130 mm
Weight		18.0 kg	17.0 kg

D28715

355MM TCT METAL CUTTING SAW

DW872

Power Input		2200 watts
No Load Speed		1300 rpm
Wheel Diameter		355 mm
Max. Cutting Capacity at 90°	Square	100 x 100 mm
	Rectangular	75 x 130 mm
	L-Shape	92 x 92 mm
	Rounded	130 mm
Weight		22.5 kg

180MM POLISHER

DWP849X

Power Input	1250 watts
No Load Speed	0 - 600 / 3500 rpm
Max. Disc Diameter	150 / 180 / 230 mm
Weight	3.0 kg

250MM SLIDE TABLE WET TILE SAW

D24000

Power Input	1600 watts
Wheel Diameter	250 mm
Bore Size	25.4 mm
Depth of cut	95 mm
Max. Crosscut Capacity at 90°	610 mm
Max. Crosscut Capacity at 45°	450 mm
Weight	32.0 kg

9.0 out of 10 reevoo

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 59-60 17/12/2013 17:24

DIAMOND DRILLING SYSTEM

DIAMOND

Do you drill only into soft materials such as bricks, Poroton blocks, light breezeblock or limestone?

You need a Dry Drilling System

YES → What size holes do you drill?

up to 132mm and occasionally up to 152mm

D21580K + **D215804** +

DWV902M

PERFORM PROTECT

Will you drill more than ø 100mm?

NO → ADAPTOR/PILOT BIT REQUIRED: **DT3823 & DT3848/9*** → OPTIONAL EXTENSION: **DT3844** (250mm)

YES → **D215821** → **DT3844** (250mm)

*Longer pilot drill bit (DT3849) required when using D215804 dust extraction adaptor

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 61-62 17/12/2013 17:24

HAND HELD DRY DIAMOND DRILL — D21570K

Power Input	1300 watts
No Load Speed	0 - 1250 / 0 - 3500 rpm
Max. Drilling Capacity - Masonry	127 mm
Weight	3.0 kg

PERFORM PROTECT

9.3 out of 10 reevoo

2 SPEED DRY DIAMOND DRILL — D21580K

Power Input	1705 watts
No Load Speed	0 - 1110 / 0 - 2350 rpm
Max. Drilling Capacity - Masonry	152 mm
Weight	5.4 kg

DIAMOND ATTACHMENTS

CAT. NO.	DESCRIPTION
D215821	Drilling Stand 53mm Collar For D21580/D21582
D215822	Water Collection Ring For D215821
D215823	3 x Spare Seals For Water Collection Ring D215822
D215824	10L Water Tank
D215825	Fastening Set For Concrete (inc 10 x Dowels)
D215826	Fastening Set For Masonry (inc 1 x Dowel)
D215827	10 x Spare Dowel Concrete
D215828	1 x Spare Dowel Masonry

CAT. NO.	DESCRIPTION
D215832	Water Collection Ring For D215831
D215833	3 x Spare Seals for Water Collection Ring D215832
D215834	Reduction Ring 60 - 53mm Collar
D215835	Quick action Bracing Unit
D215838	Spare 3m Vacuum Tube
D215839	Vacuum Kit For D215831 Stand (Seal + Valve)
D215804	Dust Collection Device (not illustrated)

D215825

D215826

D215828

D215827

D215839

D215834

D215823
D215833

D215822
D215832

D215838

D215824

D215835

D215821

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 63-64 17/12/2013 17:24

DRILLING

PERCUSSION DRILLS

CAT. NO.	DESCRIPTION
DWD024K	650 watts, single speed, keyed chuck, capacity 25mm wood/16mm concrete
D21716K	701 watts, single speed, keyed chuck, capacity 30mm wood/16mm concrete
D21805KS	770 watts, two speed, keyless chuck, capacity 35mm wood/20mm concrete

D21805KS

MIXER DRILL

D21520

Power Input	710 watts
Max Torque	50 Nm
No Load Speed	0 - 550 rpm
Max. Capacity	160 mm
Weight	3.4 kg

IMPACT WRENCHES

CAT. NO.	DESCRIPTION
DW292	½", 710 watts, 440 Nm
DW294	¾", 710 watts, 440 Nm

DRY WALL GUN

DW274K

Power Input	540 watts
Max Torque	10 Nm
No Load Speed	0 - 4000 rpm
Max. Screw Diameter	4.8 mm
Tool Holder	(Hex) 6.35 mm
Weight	1.3 kg

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 65-66 17/12/2013 17:24

DUST EXTRACTION

M-CLASS DUST EXTRACTION

DWV902M

Power Input	1400 watts
Power Take Off Rating	2200 watts
Max. Airflow	3660 l/min
Wet/Dry Capacity	35 ltr
Weight	15.0 kg

M Class

PERFORM PROTECT

These vacuum cleaners permit picking up dusts from dust classes L and M. These include all health endangering, non-carcinogenic dusts with OEL values > 1.0 mg/m³ and hardwood dusts.

BAGS FOR DWV902M

CAT. NO.	DESCRIPTION
DWV9400	Disposable Plastic Liner for DWV902M (Pack of 5)
DWV9401	Paper Bag for DWV902M (Pack of 5)
DWV9402	Fleece Bag for DWV902M (Pack of 5)

DWV9400

DWV9401

DWV9402

DUST EXTRACTION ATTACHMENTS

CAT. NO.	DESCRIPTION
DWV9210	Construction Kit
DWV9220	Woodworking Kit
DWV9000	Twist Lock
DWV9110	Tapered Adapter
DWV9120	Stepped Adapter
DWV9130	35mm Adapter
DWV9150	35mm Angle Adapter
D279058CL	Hose Clip

AIR LOCK

PERFORM PROTECT

DUST EXTRACTION TO POWER TOOL CONNECTION SYSTEM. Easy to use - fast 'click' connection to any power tool with a dust port. Durable - long lasting, jobsite tough.

DWV9210

DWV9220

DWV9000

DWV9110

DWV9120

DWV9130

DWV9150

D279058CL

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 67-68 17/12/2013 17:24

MITRE SAWS & MACHINERY

THERE IS ONLY ONE CHOICE

DEWALT manufactures precision engineered mitre saws which offer accuracy, performance and durability.

REPEATABLE ACCURACY

Outstanding build quality and unique mitre and bevel adjustment system for unrivalled accuracy.

DURABILITY

Long-life performance, heavy duty fence and table designs.

PRODUCTIVITY

Unlike lasers, the XPS system requires no adjustment. Clear visible cut line and illuminated work area.

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 69-70
17/12/2013 17:24

MITRE SAWS & MACHINERY

305MM COMPOUND SLIDE MITRE SAW

DWS780

Power Input	1675 watts
Blade Diameter	305 mm
Blade Bore	30 mm
Bevel Capacity	49/49 °
Mitre Capacity [right/left]	60/50 °
Max. Depth of Cut	170 mm
Max. Cross cut	345 mm
Weight	24.8 kg

9.4 out of 10 reevoo

XPS CROSS CUT POSITIONING SYSTEM

250MM COMPOUND SLIDE MITRE SAW

DW717XPS

Power Input	1675 watts
Blade Diameter	250 mm
Blade Bore	30 mm
Bevel Capacity	48/48 °
Mitre Capacity [right/left]	50/60 °
Max. Depth of Cut	152 mm
Max. Cross cut	320 mm
Weight	23.0 kg

8.9 out of 10 reevoo

XPS CROSS CUT POSITIONING SYSTEM

N 250MM SLIDE MITRE SAW

DWS778

Power Input	1850 Watts
Blade Diameter	250 mm
Blade Bore	30 mm
Bevel Capacity	48 °
Mitre Capacity [right/left]	50/50 °
Max. Depth of Cut	85 mm
Max. Cross cut	305 mm
Weight	17.2 kg

XPS CROSS CUT POSITIONING SYSTEM

216MM SLIDE MITRE SAW

DW777

Power Input	1800 watts
Blade Diameter	216 mm
Blade Bore	30 mm
Bevel Capacity	48 °
Mitre Capacity [right/left]	50/50°
Max. Depth of Cut	62 mm
Max. Cross cut	265 mm
Weight	14.0 kg

250MM TABLE SAW

DW745

Power Input		1700 watts
Blade Diameter		250 mm
Max. Depth of Cut		77 mm
Bevel Capacity		-3 to 48 °
Max. Ripping Capacity	right	410 mm
	left	315 mm
Table Size		630 x 570 mm
Weight		22.0 kg

9.7 out of 10 reevoo

250MM HEAVY DUTY TABLE SAW

DW744XP

Power Input		2000 watts
Blade Diameter		250 mm
Max. Depth of Cut		77 mm
Bevel Capacity		-3 to 48 °
Max. Ripping Capacity	right	625 mm
	left	342 mm
Table Size		627 x 678 mm
Weight		35.0 kg

ROLLING LEG STAND FOR TABLE SAWS

DE7400

MITRE SAW ATTACHMENTS

CAT. NO.	DESCRIPTION
DE7023	Universal Legstand
DE7024	Work Support Stop
DE7025	Mounting Bracket
DE7027	Roller Support
DE7028	Extension Arm Support

CAT. NO.	DESCRIPTION
DE7029	Increased Width Support Stop
DE7030	Large Mounting Bracket
DE7031	Heavy Duty Extension Support
DE7033	Heavy Duty Short Beam Mitre Saw Leg Stand
DE7035	Heavy Duty Work Support Stand - Saw Horse

DE7023

DE7024

DE7027

DE7025

DE7029

DE7028

DE7030

DE7031

DE7033

DE7035

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 71-72 17/12/2013 17:24

FLIP OVER SAWS

DW743N

Power Input		2000 watts
Blade Speed		2850 rpm
Blade Diameter		250 mm
Blade Bore		30 mm
Bevel Capacity		45 °
Mitre Capacity [right/left]		45 / 45 °
Cutting Capacity at 90°/90° (W x H)		140 × 68 mm
		180 × 20 mm
Cutting Capacity at 45°/90° (W x H)		95 × 70 mm
		120 × 46 mm
Cutting Capacity at 90°/45° (W x H)		70 × 95 mm
		150 × 20 mm
Max. Cutting Capacity	Sawbench position 90°/90°	0 - 70 mm
	Sawbench position 90°/45°	0 - 32 mm
Weight		37.0 kg

FLIP OVER SAW ATTACHMENTS

CAT. NO.	DESCRIPTION
DE3454	Pair of Push Sticks
DE3460	Length Stop for Short Work Pieces
DE3461	Clamp Assembly
DE3462	Swivel Stop
DE3471	Single Sliding Table
DE3472	Right Side Extension Table

CAT. NO.	DESCRIPTION
DE3473	Ripping / Parallel Fence
DE3474	Adjustable Support Stand
DE3491	500mm Pair of Guide Rods
DE3494	1000mm Pair of Guide Rods
DE3495	Material Support Plate
DE3496	Fence for Bench Mode

DE3472

DE3496



PORTABLE THICKNESSER

DW733

Power Input	1800 watts
No Load Speed	10000 rpm
Max. Capacity	317 mm
Max. Planing Depth	2 mm
Max. Thicknesser Capacity	152 mm
Weight	33.6 kg

PLANER THICKNESSER

D27300

Power Input	2100 watts
Max. Capacity	260 mm
Max. Depth of Cut	4 mm
Max. Planing Depth	3 mm
Planer Table Size	1000 × 260 mm
Thicknesser Table Size	500 × 250 mm
Max. Thicknesser Capacity	160 mm
Weight	53.0 kg

BANDSAWS

CAT. NO.	DESCRIPTION
DW876	1000 watts, 2 speed, depth of cut 200mm, width of cut 310mm

DW876

RADIAL ARM SAWS

CAT. NO.	DESCRIPTION
DW721KN	300mm blade, 2000 watts, 507mm cross cut
DW728KN	350mm blade, 2200 watts, 525mm cross cut
DW729KN	350mm blade, 4000 watts, 525mm cross cut

DW728KN

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 73-74 17/12/2013 17:25

EXTREME DEWALT® STATIONARY CIRCULAR SAW BLADES

EXTREME DEWALT

FEATURES

- Teeth remain sharp for longer through use of extra-large sub micrograin carbide teeth.
- Exceptional surface finish due to unique anti-vibration slots that minimise blade vibration.
- Extended cutting life in difficult materials such as tropical hardwoods and MDF through use of corrosion resistant carbide teeth.



Cat. No.	Diameter / Bore mm	Plate/ Kerf	Teeth	Grind	Rake	Fast Rip	General Purpose	Fine Finish	Extra Fine Finish	Aluminium	UK LIST PRICE	IRE LIST PRICE
DT4211-QZ	210/30	1.8/2.6	18	ATB	25°	●					£63.04	€74.03
DT4221-QZ	210/30	1.8/2.6	24	ATB	-5°		●				£71.82	€85.49
DT4250-QZ	210/30	1.8/2.6	40	ATB	10°			●			£88.25	€105.04
DT4252-QZ	210/30	1.8/2.6	48	ATB	-5°			●			£94.55	€112.55
DT4253-QZ	210/30	1.8/2.6	56	TCG	-5°			●			£102.96	€122.55
DT4285-QZ	210/30	1.8/2.6	80	TCG	-5°				●	●	£105.06	€125.05
DT4310-QZ	216/30	1.8/2.6	24	ATB	-5°	●					£73.54	€87.54
DT4320-QZ	216/30	1.8/2.6	48	ATB	-5°		●				£100.86	€120.04
DT4350-QZ	216/30	1.8/2.6	60	ATB	-5 °			●			£110.65	€131.70
DT4370-QZ	216/30	1.8/2.6	60	TCG	-5°				●		£121.87	€145.05
DT4286-QZ	216/30	1.8/2.6	80	TCG	-5°				●	●	£114.93	€136.80
DT4311-QZ	250/30	2.2/3.0	24	FT	10°	●					£79.84	€95.04
DT4321-QZ	250/30	2.2/3.0	30	ATB	10°		●				£92.45	€110.05
DT4226-QZ	250/30	2.2/3.0	30	ATB	20°		●				£81.95	€97.54
DT4322-QZ	250/30	2.2/3.0	40	ATB	10°		●				£105.90	€126.05
DT4323-QZ	250/30	2.2/3.0	48	ATB	20°		●				£107.75	€128.25
DT4351-QZ	250/30	2.2/3.0	60	ATB	10 °			●			£114.93	€136.80
DT4352-QZ	250/30	2.2/3.0	60	TCG	-5 °			●			£113.46	€135.06
DT4353-QZ	250/30	2.2/3.0	80	ATB	10 °			●			£144.23	€171.67
DT4354-QZ	250/30	2.2/3.0	80	ATB	-5 °			●			£130.27	€155.06
DT4287-QZ	250/30	2.2/3.0	80	TCG	-5°				●	●	£117.66	€140.06
DT4373-QZ	250/30	2.2/3.0	80	TCG	10°				●		£144.23	€171.67
DT4282-QZ	250/30	2.2/3.0	96	TCG	-5°				●	●	£134.14	€159.66
DT4214-QZ	260/30	1.8/2.6	24	ATB	15°	●					£94.55	€112.55
DT4312-QZ	260/30	1.8/2.6	24	ATB	15°	●					£84.38	€100.44
DT4324-QZ	260/30	1.8/2.6	48	ATB	10°		●				£125.82	€149.76
DT4280-QZ	260/30	1.8/2.6	80	TCG	-5°				●	●	£122.76	€146.10
DT4314-QZ	300/30	2.2/3.0	30	ATB	10°	●					£111.74	€133.01
DT4327-QZ	300/30	2.2/3.0	48	ATB	10°		●				£115.07	€137.09
DT4328-QZ	300/30	2.2/3.0	60	ATB	10°		●				£130.40	€155.21
DT4329-QZ	300/30	2.2/3.0	60	TCG	10°			●			£167.64	€196.47
DT4357-QZ	300/30	2.2/3.0	72	TCG	10°			●			£165.20	€196.62
DT4281-QZ	300/30	2.2/3.0	80	TCG	-5°				●	●	£127.71	€152.01
DT4376-QZ	300/30	2.2/3.0	96	TCG	10°				●		£199.53	€237.50
DT4330-QZ	305/30	2.2/3.0	36	ATB	-5°		●				£99.72	€118.70
DT4260-QZ	305/30	1.8/2.6	60	ATB	-5°			●			£111.36	€132.55
DT4331-QZ	305/30	2.2/3.0	60	ATB	-5°			●			£120.10	€142.94
DT4288-QZ	305/30	2.2/3.0	80	TCG	-5°				●	●	£134.48	€160.07
DT4290-QZ	305/30	2.2/3.0	96	TCG	-5°				●	●	£163.89	€195.07
DT4215-QZ	315/30	2.2/3.0	24	ATB	10°	●					£106.11	€126.30
DT4332-QZ	315/30	2.2/3.0	48	ATB	10°		●				£135.69	€161.52
DT4358-QZ	315/30	2.2/3.0	72	ATB	10 °			●			£167.64	€199.53
DT4333-QZ	350/30	2.2/3.0	42	ATB	10°		●				£140.48	€167.22
DT4334-QZ	350/30	2.2/3.0	54	ATB	10°		●				£151.79	€180.67
DT4359-QZ	350/30	2.2/3.0	80	TCG	-5 °			●			£175.57	€208.99
DT4360-QZ	350/30	2.2/3.0	84	ATB	10 °			●			£186.84	€222.39
DT4291-QZ	350/30	2.2/3.0	96	TCG	-5°				●	●	£151.29	€180.07
DT4317-QZ	400/30	2.5/3.0	36	ATB	10°		●				£130.99	€155.92
DT4338-QZ	400/30	2.5/3.5	60	ATB	10°		●				£166.03	€197.63

CONSTRUCTION STATIONARY CIRCULAR SAW BLADES

FEATURES

- Precision ground cutting angles for excellent blade sharpness and faster cutting.
- "K20" extra robust carbide and unique wedge shoulder design for greater durability.
- Thick steel plate hard body for professional quality.



Cat. No.	Diameter /Bore mm	Plate/ Kerf	Teeth	Grind	Rake	Additional Insert Rings	Fast Rip	General Purpose	UK LIST PRICE	IRE LIST PRICE
DT1154-QZ	216/30	1.7/2.6	24	ATB	-5°		●		£36.81	€43.82
DT1155-QZ	216/30	1.7/2.6	40	ATB	-5°			●	£38.95	€46.36
DT1158-QZ	250/30	2.0/3.0	24	ATB	10°	16/20/25.4	●		£43.29	€51.52
DT1159-QZ	250/30	1.8/3.0	48	ATB	10°	16/20/25.4		●	£45.47	€54.12
DT1160-QZ	305/30	2.0/3.0	24	ATB	-5°	25.4	●		£56.27	€66.97
DT1161-QZ	305/30	2.0/3.0	40	ATB	10°	25.4		●	£60.60	€72.13
DT1162-QZ	305/30	2.0/3.0	60	ATB	-5°	25.4		●	£64.92	€77.28
DT1163-QZ	315/30	2.2/3.2	24	ATB	20°	25.4	●		£67.12	€79.89

BANDSAW BLADES

APPLICATIONS

- Range for most wood and steel applications.

FEATURES

- Sharp ground teeth slice through the workpiece, producing a fine finish. (Wood cutting blades only).

FOR USE WITH DW738 AND DW739

Cat. No.	Primary Application	Overall Length mm	Width mm	Thickness mm	Pitch mm	Pack Qty.	UK LIST PRICE	IRE LIST PRICE
DT8480-QZ	Wood-Fretsaw Blade	2095	3	0.6	4.2	1	£75.38	€89.74
DT8481-QZ	General Purpose Blade	2095	12	0.6	4.2	1	£33.92	€40.38
DT8482-QZ	Wood - thick cuts	2095	16	0.6	6.4	1	£56.54	€67.30
DT8483-QZ	Wood - contour	2095	6	0.6	3.2	1	£33.92	€40.38
DT8484-QZ	Non -ferrous Metal - Thin cuts	2095	6	0.6	1.8	1	£33.92	€40.38
DT8485-QZ	Non -ferrous Metal - Thick cuts	2095	12	0.6	3.2	1	£33.92	€40.38
DT8486-QZ	Wood, Formica and Laminates	2095	10	0.6	3.2	1	£33.92	€40.38

APPLICATIONS

- Range for most wood and some steel applications.

FEATURES

- Premium Grade Steel.
- Ultra sharp diamond ground teeth produce a sandpaper fine finish (woodcutting blades only).

FOR USE WITH DW876

Cat. No.	Primary Application	Overall Length mm	Width mm	Thickness mm	Pitch mm	Pack Qty.	UK LIST PRICE	IRE LIST PRICE
DT8470-QZ	Wood - Fretsaw Blade	2215	4	0.6	1.8	1	£75.39	€89.74
DT8471-QZ	Wood - contour / scroll	2215	6	0.4	4.2	1	£49.34	€58.73
DT8472-QZ	Wood - Rip & Cross cut	2215	10	0.4	4.2	1	£49.34	€58.73
DT8473-QZ	Wood - Fast rip cut, medium composites	2215	16	0.6	6.4	1	£49.34	€58.73
DT8474-QZ	Wood - Fast rip cut, thick wood	2215	20	0.6	6.4	1	£56.54	€67.30
DT8475-QZ	Metal - Non-ferrous - thin steel	2215	6	0.6	1.4	1	£32.44	€38.61
DT8476-QZ	Metal - Non-ferrous - thick steel	2215	12	0.6	1.8	1	£33.84	€40.29

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 75-76 17/12/2013 17:25

WOODWORKING

¼" COMPACT FIXED BASE ROUTER

D26200

Power Input	900 watts
No Load Speed	16000 - 27000 rpm
Plunge Stroke/Movement	55 mm
Collet Size	6 - 8 mm
Max. Cutter Diameter	36 mm
Weight	1.9 kg

¼" COMPACT PLUNGE ROUTER

D26203

Power Input	900 watts
No Load Speed	16000 - 27000 rpm
Plunge Stroke/Movement	55 mm
Collet Size	6 - 8 mm
Max. Cutter Diameter	36 mm
Weight	2.9 kg

¼" COMPACT COMBINATION PLUNGE & FIXED BASE ROUTER

D26204K

Power Input	900 watts
No Load Speed	16000 - 27000 rpm
Plunge Stroke/Movement	55 mm
Collet Size	6 - 8 mm
Max. Cutter Diameter	36 mm
Weight	2.9 kg

9.7 out of 10 reevoo

LAMINATE TRIMMERS & ¼" ROUTER

CAT. NO.	DESCRIPTION
DW609	600 watts large base laminate trimmer
DW670	600 watts small base laminate trimmer
DW615	¼", 900 watt variable speed router

½" 1400 WATT ROUTER

DW622K

Power Input	1400 watts
No Load Speed	8000 - 24000 rpm
Plunge Stroke/Movement	55 mm
Collet Size	6 - 12 mm
Weight	3.1 kg

½" 2000 WATT ROUTER

DW625EK

Power Input	2000 watts
No Load Speed	8000 - 20000 rpm
Plunge Stroke/Movement	80 mm
Collet Size	6 - 12.7 mm
Weight	5.1 kg

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 77-78 17/12/2013 17:25

N OSCILLATING KIT

DWE315KT

Power output	300 watts
Voltage	230 V
Speed	0 - 22,000 opm
Weight	1.475 kg

- Power - 300watt motor delivers 0-22,000 oscillations per minute,
- Responsive Trigger - Variable speed control and dual grip position.
- Quick-fit dust extraction kit is compatible with the DEWALT Airlock system.
- Quick-fit depth stop for ultimate control over application.

TSTAK™

9.3 out of 10 reevoo

Includes 37 piece accessory set and TSTAK™ kitbox. See page 20 for oscillating accessories.

Clean cuts on skirting or drywall

Clean grout removal

Cutting heavy fabrics & flooring

Cutting construction timber

Preparing surfaces

Detail sanding

Scraping Adhesives

Pipe cutting

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 79-80 17/12/2013 17:25

2.5MM PLANER

DW680K

Power Input	600 watts
No Load Speed	15000 rpm
Maximum Depth of Cut	2.5 mm
Rebating Depth	12 mm
Planer Width	82 mm
Weight	3.2 kg

4MM PLANER

D26500K

Power Input	1050 watts
No Load Speed	13500 rpm
Maximum Depth of Cut	4 mm
Rebating Depth	25 mm
Planer Width	82 mm
Weight	4.0 kg

125MM RANDOM ORBIT SANDER

D26453

Power Input	280 watts
Rotation speed	7000 - 12000 rpm
Orbits Per Minute	14000 - 24000 opm
Orbit Size	2.4 mm
Weight	1.6 kg

150MM RANDOM ORBIT SANDER

DW443

Power Input	530 watts
Rotation speed	4200 - 7600 rpm
Orbits Per Minute	8400 - 15200 opm
Orbit Size	5.0 mm
Weight	2.7 kg

BISCUIT JOINTER

DW682K

Power Input	600 watts
No Load Speed	10000 rpm
Fence adjustment	0-90 °
Weight	3.0 kg

9.0 out of 10 reevoo

1/4 SHEET PALM SANDER

D26441

Power Input	230 watts
Rotation speed	14000 rpm
Orbits Per Minute	28000 opm
Orbit Size	1.4 mm
Weight	1.4 kg

9.0 out of 10 reevoo

150MM RANDOM ORBIT SANDER (DUAL ORBIT)

D26410

Power Input	400 watts
Rotation speed	4000 - 10000 rpm
Orbits Per Minute	8000 - 20000 opm
Orbit Size	3.0 & 6.0 mm
Paper Size	150 mm
Weight	2.7 kg

PALM GRIP BELT SANDER

D26480

Power Input	500 watts
Belt Speed	365 m/min
Belt Size	64 × 356 mm
Weight	2.4 kg

1/2 SHEET SANDER

D26421

Power Input	350 watts
Rotation speed	22000 rpm
Orbits Per Minute	44000 opm
Orbit Size	2.5 mm
Paper Size	113 x 280 mm
Weight	2.8 kg

DETAIL SANDER

D26430

Power Input	300 watts
Rotation speed	14000 - 22000 rpm
Orbits Per Minute	28000 - 44000 opm
Orbit Size	1.8 mm
Weight	1.3 kg

75MM (3") VARIABLE SPEED BELT SANDER

DW433

Power Input	800 watts
Belt Speed	259 - 427 m/min
Belt Size	75 x 533 mm
Weight	5.6 kg

HEATGUNS

D26414 D26411

	D26414	D26411
Power Input	2000 watts	1800 watts
Operating Temperature	50 - 600 °C	50 - 400 / 50 - 600 °C
Air Flow	250 / 450 l/min	250 / 450 l/min
LCD screen	Yes	-
Weight	0.85 kg	0.80 kg

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 81-82 17/12/2013 17:25

PRECISION PLUNGE SAW

DWS520K

Power Input	1300 watts
No Load Speed	1750 - 4000 rpm
Blade Diameter	165 mm
Blade Bore	20 mm
Max. Depth of Cut at 90°	59 mm
Max. Depth of Cut at 45°	44 mm
Weight	5.1 kg

10 out of 10 reevoo

Also available with guide rail - DWS520KR

PLUNGE SAW ATTACHMENTS

CAT. NO.	DESCRIPTION
DE6292	Joining Bar for Guide Rails
DWS5021	1m Guide Rail
DWS5022	1.5m Guide Rail
DWS5023	2.6m Guide Rail
DWS5025	Guide Rail Carry Bag (for DWS5021 and DWS5022)
DWS5026	Pair of Quick Clamps for Guide Rails

CAT. NO.	DESCRIPTION
DWS5027	T Square
DWS5029	Replacement Edge Strip
DWS5030	Replacement Low Friction Strip (Top of Guide Rail) (not illustrated)
DWS5031	Router Attachment for Guide Rails
DWS5032	Replacement High Friction Strip (Bottom of Guide Rail) (not illustrated)

DE6292

DWS5021

DWS5022

DWS5023

DWS5025

DWS5026

DWS5027

DWS5029

DWS5031

CIRCULAR SAWS

CAT. NO.	DESCRIPTION
DWE550	165mm, 1200 watts, 55mm depth of cut
DWE560	184mm, 1350 watts, 65mm depth of cut
DWE560K	184mm, 1350 watts, 65mm depth of cut
DWE575K	190mm, 1600 watts, 67mm depth of cut
DWE576K*	190mm, 1600 watts, 67mm depth of cut
D23700	235mm, 1750 watts, 86mm depth of cut

10 out of 10 reevoo

DWE550, DWE560 and D23700 not supplied with kitbox. *DWE576K compatible with guide rail system

DWE560

JIGSAWS

CAT. NO.	DESCRIPTION
DW331K	701 watts, 130mm depth of cut
DW341K	550 watts, 85mm depth of cut

9.3 out of 10 reevoo

DW331K

RECIPROCATING SAWS

CAT. NO.	DESCRIPTION
DW304PK	1050 watts, max cutting capacity 280mm
DW311K	1200 watts, max cutting capacity 300mm

DW304PK

DW311K

COMPACT RECIPROCATING SAW

DWE357K

Power Input		1050 watts
No Load Stroke Rate		0 - 2800 spm
Stroke Length		29 mm
Max. Cutting Capacity	Wood	280 mm
	Steel Sections & Pipes	100 mm
	PVC	130 mm
Weight		3.1 kg

ALLIGATOR® SAWS

CAT. NO.	DESCRIPTION
DWE396	Next Generation 275mm ALLIGATOR® with 54T class 20 Poroton Blade
DWE397	Next Generation 425mm ALLIGATOR® with 48T class 12 Poroton Blade

DWE396

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 83-84 17/12/2013 17:25

ALLIGATOR® SAW BLADES

APPLICATIONS

- Ideal for fast and easy cutting in building blocks, wood, plywood, chipboard and drywall. See individual blades for details.

FEATURES

- Blades designed with HSS or TCT teeth to optimise the performance of the DEWALT Alligator® Power Saw.

TO FIT THE NEW DWE396 / DWE397

Cat. No.	Applications	Length mm	Pack Qty.	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT2970-QZ	Fine Wood Alligator HSS	295	1	1	£57.12	€69.99
DT2971-QZ	11" Rough Wood Alligator HSS	295	1	1	£44.88	€53.41
DT2972-QZ	11" Fine Wood Alligtor 32 TCT	295	1	1	£89.76	€106.83
DT2973-QZ	11" CLS 12 Poroton Alligtor 32 TCT	295	1	1	£71.40	€84.99
DT2977-QZ	11" CLS 20 Poroton Alligator TCT	295	1	1	£114.24	€135.98
DT2974-QZ	17" Class 12 Poroton Alligator TCT	430	1	1	£116.28	€138.40
DT2975-QZ	17" Gas Beton White Alligator TCT	430	1	1	£118.32	€140.83
DT2976-QZ	17" Class 20 Poroton Alligator TCT	430	1	1	£175.44	€208.82
DT2978-QZ	17" Rough Wood Alligator HSS	430	1	1	£61.20	€72.85
DT2979-QZ	17" Insulation Alligator HSS 1 TPI	430	1	1	£114.24	€135.98

PORTABLE FRAMING BLADES

APPLICATIONS

- Ripping and cross-cutting timber.
- Cutting composite wood eg plywood and MDF.

FEATURES

- Reduce push force required by the user.
- Cuts straight to reduce binding.
- Teeth stay sharper longer with reduced breakage.

FOR USE ON CIRCULAR SAWS THAT DO NOT HAVE A RIVING KNIFE

Cat. No.	Machine Type	Diameter	Bore	Teeth	Finish	UK LIST PRICE	IRE LIST PRICE
DT10624-QZ	Cordless Extreme	165	20	24	General Purpose	£30.60	€36.78
DT10640-QZ	Cordless Extreme	165	20	40	Finishing	£34.68	€41.28
DT10300-QZ	Corded	165	20	24	General Purpose	£30.60	€36.78
DT10301-QZ	Corded	165	20	40	Finishing	£34.68	€41.28
DT10302-QZ	Corded	184	16	24	General Purpose	£32.64	€38.85
DT10303-QZ	Corded	184	16	40	Finishing	£40.80	€48.56
DT10304-QZ	Corded	190	30	24	General Purpose	£36.72	€43.71

EXTREME PLUNGE SAW CIRCULAR SAW BLADES

FEATURES

- Blades designed specifically for use with plunge saws.
- See individual blades for details.

FOR USE ON PLUNGE SAWS

Cat. No.	Diameter /Bore	Plate/ Kerf	Teeth	Grind	Fast Rip	General Purpose	Fine Finish	Extra Fine Finish	Aluminium	UK LIST PRICE	IRE LIST PRICE
DT1089-QZ	165/20	1.6/2	18	ATB	●					£82.16	€97.79
DT1091-QZ	165/20	1.6/2	40	ATB		●				£96.65	€115.04
DT1090-QZ	165/20	1.6/2	48	ATB			●			£100.86	€120.04
DT1086-QZ	165/20	1.6/2	48	TCG				●		£103.59	€123.30
DT1087-QZ	165/20	1.6/2	54	MTCG				●		£110.73	€131.80
DT1088-QZ	165/20	1.6/2	54	TCG				●	●	£117.88	€140.31

PLANER BLADES

Cat. No.	Description	Pack Qty.	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT3901-QZ	80mm TCT reversible planer blades	1 pair	1	£14.49	€17.26

FOR USE WITH DW677, DW680K AND D26500K

Cat. No.	Description	Pack Qty.	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT3906-QZ	82mm TCT reversible planer blades	1 pair	1	£14.49	€17.26

JIGSAW BLADES

Cat. No.	Pieces	Description	Bosch Code	M.O.Q.	UK LIST PRICE	IRE LIST PRICE
DT2053-QZ	5	HCS down cutting wood, laminate DOC 30mm	T101 BR	1	£8.07	€9.61
DT2057-QZ	5	HCS Progressor blade wood, chipboard DOC 65mm	T234 X	1	£8.07	€9.61
DT2075-QZ	5	HCS fast straight cutting wood, chipboard DOC 50mm	T144 DP	1	£8.07	€9.61
DT2160-QZ	5	HSS Metal Straight cutting, sheet metal DOC 3mm	T118 A	1	£8.07	€9.61
DT2161-QZ	5	HSS Metal straight cutting, thick metal DOC 6mm	T118 B	1	£8.07	€9.61
DT2162-QZ	5	HSS Metal Straight cutting, thin material DOC 1mm	T118 G	1	£8.07	€9.61
DT2163-QZ	5	HSS Metal fast straight cutting, thick material DOC 15mm	T127 D	1	£8.07	€9.61
DT2164-QZ	5	HCS Wood, chipboard fast straight cutting DOC 60mm	T101 D	1	£8.07	€9.61
DT2165-QZ	5	HCS Wood, chipboard, laminates, fine straight cuts DOC 30mm	T101 B	1	£8.07	€9.61
DT2166-QZ	5	HCS Wood, chipboard, fast straight cuts DOC 60mm	T144 D	1	£8.07	€9.61
DT2168-QZ	5	HCS Wood, chipboard, laminate fine curve cuts DOC 30mm	T101 AO	1	£8.07	€9.61

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 85-86 17/12/2013 17:25

TOUGHSYSTEM™ FULL KIT

1-70-349

System Includes Trolley, 1 x DS150, 1 x DS300, 1 x DS400 and Brackets

Trolley On Own **1-70-324**

TOUGHSYSTEM™ SPARE BRACKETS

1-70-362

FOAM INLAY FOR DS150

DWST7-97150

TOUGHSYSTEM™ DS150 ORGANISER BOX

1-70-321

Height	158 mm
Width	336 mm
Depth	550 mm

TOUGHSYSTEM™ DS300 TOOLBOX

1-70-322

Height	308 mm
Width	336 mm
Depth	550 mm

TOUGHSYSTEM™ DS400 TOOLBOX

1-70-323

Height	408 mm
Width	366 mm
Depth	550 mm

TOUGHSYSTEM™ 2 DRAWER UNIT DS250

DWST1-70728

Height	275 mm
Width	340 mm
Depth	555 mm

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 87-88 17/12/2013 17:25

DEWALT 18" TOTE BAG
1-79-208

Height	360 mm
Width	500 mm
Depth	300 mm

DEWALT RIGID TOP BAG
1-79-209

Height	310 mm
Width	500 mm
Depth	300 mm

DEWALT ROUND TOP BAG
1-79-211

Height	330 mm
Width	500 mm
Depth	310 mm

TSTAK™ - INTERLOCKING, STACKABLE STORAGE SYSTEM



DEWALT TSTAK™ CART
DWST1-71229

Height	181 mm
Width	486 mm
Depth	436 mm

DEWALT TSTAK™ I
DWST1-70704

Height	185.1 mm
Width	440 mm
Depth	331.7 mm

Unit with Accessory Storage and Heavy Duty Handle

DEWALT TSTAK™ II (SUITCASE FLAT TOP)
DWST1-70703

Height	176 mm
Width	440 mm
Depth	331.7 mm

13L Power Tool Storage Top Unit with Pre-cut Foam Insert

DEWALT TSTAK™ III (DEEP DRAWER)
DWST1-70705

Height	176 mm
Width	440 mm
Depth	314.2 mm

9.5L Deep Drawer Storage Unit Comes With 2 Large & 4 Small Removable Units

DEWALT TSTAK™ IV (SHALLOW DRAWERS)
DWST1-70706

Height	176 mm
Width	440 mm
Depth	314.2 mm

8L Capacity. Drawers with Removable Dividers for Organising & Storing Small Parts

DEWALT TSTAK™ COMBO SET II+IV
DWST1-70702

Height	326 mm
Width	440 mm
Depth	332 mm

21.5L Capacity. Power Tool Storage Unit and 2 Shallow Drawers

DEWALT TSTAK™ V
DWST1-71194

Height	145 mm
Width	440 mm
Depth	332 mm

6.3L clear lid organizer with 2 large and 5 small removable storage cups for storing small parts and accessories

DEWALT TSTAK™ VI
DWST1-71195

Height	301.5 mm
Width	440 mm
Depth	332 mm

23L large volume unit for storing larger hand tools and power tools

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 89-90
17/12/2013 17:26

TITANIUM S3 WR SRA
Sizes 6-12 - HONEY

TUNGSTEN S3 WR SRA
Sizes 6-12 - BROWN

NICKEL S3 WR SRA
Sizes 6-12 - BLACK

TITANIUM S3 WR SRA
Sizes 6-12 - TAN

NEW

4 NEW WATERPROOF BOOTS, DESIGNED TO KEEP YOUR FEET DRY WITH TOE AND MIDSOLE PROTECTION FOR ALL DAY COMFORT.

- Water resistant leather
- PU/TPU out-sole
- Steel toe cap toe
- Steel midsole
- PU anti-bacterial footbed

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 91-92 17/12/2013 17:26

DEWALT offers an outstanding guarantee for professional users of our products

In order to make a claim, you will need to submit proof of purchase to the seller or an authorised DEWALT repair agent, and the product must display the CE mark, as shown:

This provided that the product has not been mis-used and has been subject to fair wear and tear.

Any attempt by anyone other than an authorised service repair agent to service a tool during the warranty period will invalidate the warranty for said tool.

30 DAY NO RISK SATISFACTION GUARANTEE

If you are not completely satisfied with the performance of your DEWALT product, simply return it to the point of purchase within 30 days for a full refund or exchange. Product must be complete as purchased and proof of purchase must be produced. Spare parts and Accessories are excluded unless failed under warranty.

1 YEAR FREE SERVICE CONTRACT

If you require maintenance or service for your DEWALT product within 12 months of purchase, you are entitled to one service free of charge, undertaken at an authorised DEWALT repair agent. Proof of purchase must be produced. Includes labour. Spare parts and Accessories are excluded.

1 YEAR FULL WARRANTY

In the unlikely event that your DEWALT product becomes defective due to faulty materials or workmanship within 12 months of purchase, DEWALT guarantees to replace all defective parts free of charge or - at our discretion - replace the unit free of charge.

3 YEAR WARRANTY AVAILABLE ON XR LI-ION PRODUCTS BY REGISTERING ONLINE.

PLEASE VISIT WEBSITE FOR TERMS & CONDITIONS.

For products not covered under 30.1.1 visit www.DEWALT.com

DEWALT SERVICE ★★★★★

★ **CONVENIENCE**

At the heart of DEWALT's 5 star service promise are its 5 star service agents which are conveniently located throughout the country, with specialists always available to answer any questions whether you are on or off the jobsite.

★ **SPEED**

Having your tools back in action in the fastest time possible is our prime objective. Subject to parts availability, most repairs should not take more than 48 hours in the workshop and for those smaller urgent repairs we provide a "while-u-wait" service.

★ **QUALITY**

Highest Quality is assured with DEWALT factory trained technicians carrying out all repairs with all work being backed by our 90 day warranty. Each DEWALT repair comes with our personal "satisfaction tag" listing all the work done and a DEWALT contact telephone number should you be less than 100% happy with the repair.

★ **GENUINE PARTS**

All parts used in repairs are original, ensuring both the highest quality and a perfect fit every time.

★ **ONLINE SERVICE**

www.2helpU.com provides information on the DEWALT After Sales Services, including DEWALT authorised repair agent locations, some frequently asked questions, technical information, spare part details, warranty policy and recycling of used tools. You can also contact us directly via the website.

FOR AFTER SALES SERVICE PLEASE VISIT:

www.2helpU.com

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 93-94

17/12/2013 17:26

	COUNTY	TOWN	COMPANY NAME	5★AGENTS	TEL NO
1	Antrim	Ballymena	DIAMOND TOOLS & FIXINGS	★	028 2582 2877
2	Antrim	Mallusk	MCBRIDE TOOL SERVICES	★	02890 841688
3	Berkshire	Aldermaston	ALDERMASTON TOOL CO.	★	01189 816215
4	Buckinghamshire	High Wycombe	ISAAC LORD	★	01494 835262
5	Cambridgeshire	Peterborough	CBS POWER TOOLS		01733 343031
6	Channel Isles	Guernsey	AUTO ELEC		01481 726644
7	Cleveland	Middlesbrough	BUCK - HICKMAN (MIDDS) LTD	★	01642 240116
8	Clwyd	Wrexham	AUSTIN EAMES		01978 261095
9	Clwyd	Colwyn Bay	FIXIT	★	01492 530391
10	Co Durham	Spennymoor	NATIONAL DEWALT REPAIR CENTRE	★	01388 422429
11	Derbyshire	Derby	JAYMAC (DERBY) LTD	★	01332 755799
12	Devon	Newton Abbot	TOOLFIX	★	01626 362129
13	Dyfed	Carmarthen	TIMBERMAN		01267 232621
14	East Sussex	Brighton	BRIGHTON TOOLS & FIXINGS		01273 620456
15	Essex	Leigh-On-Sea	MARSHALL & PARSONS	★	01702 470100
16	Essex	Westcliff-On-Sea	TOOL-LINE	★	01702 391791
17	Fife	Dunfermline	ENGINEERING AGENCIES	★	01383 721677
18	Gloucestershire	Mitcheldean	THE TOOLITE CO		01594 544521
19	Greater London	Northolt	JAYCEE TOOLS		0208 8411099
20	Greater London	London	TOUCAN TOOL COMPANY		0208 556 6060
21	Hampshire	Southampton	SALLCO TOOLS LTD	★	02380 737355
22	Hampshire	Winchester	SOUTHERN POWER TOOL SERVICES		01962 863507
23	Hertfordshire	Letchworth	AC SUPPLY		01462 481 808
24	Highland	Inverness	HIGHLAND INDUSTRIAL SUPPLIES		01463 239160
25	Isle Of Man	Isle Of Man	WHITTAKER TRADING LTD	★	01624 627122
26	Isle Of Wight	Newport	I T S TOOLS	★	01983 526344
27	Kent	Margate	GOODWINS OF WESTBROOK LTD	★	01843 220966
28	Lancashire	Wigan	ENTWISTLE & JOYNT LTD	★	01942 243081
29	Lancashire	Rochdale	ROCHDALE RE-TOOL LTD	★	01706 711430
30	Leicestershire	Wigston	CROMWELL GROUP HOLDINGS		0116 257 2397
31	Leicestershire	Leicester	TERRATRUCK LTD	★	0116 2662456
32	Lincolnshire	Bracebridge	POWER TOOL SOLUTIONS LTD	★	01522 535352
33	Londonderry	Coleraine	CP HIRE LTD		028 7034 4313
34	Merseyside	Liverpool	POWER TOOL CENTRE (LIVERPOOL)	★	0151 2071400
35	Nottinghamshire	Rushden	KINGTOOLS		01933 410900
36	Nottinghamshire	Nottingham	POWER TOOL PLUS LTD	★	0115 941 0037
37	Somerset	Yeovil	MILES TOOLS & MACHINERY	★	01935 421281
38	South Glamorgan	Cardiff	DATA POWER TOOLS LTD	★	02920 595710
39	South Yorkshire	Sheffield	POWERTECH	★	01142 474080
40	Staffordshire	Cannock	HEATH HAYES MARINE		01543 275048
41	Strathclyde	Glasgow	R&J SAW SERVICES LTD	★	0141 5518800
42	Strathclyde	Glasgow	THE SAW CENTRE		0141 4294444
43	Surrey	Redhill	FIXINGS & POWER TOOL CENTRE	★	01293 820088
44	Surrey	Croydon	SHAW ELECTRICAL LTD		0208 6880491
45	Tayside	Dundee	LAWNTECH		08712 775715
46	Tyne & Wear	Newcastle	R LORD & CO	★	0191 2653880
47	West Glamorgan	Swansea	C M E DEVELOPMENTS LTD	★	01639 845184
48	West Midlands	Birmingham	BIRCHWOOD PRICE TOOLS	★	0121 689 2105
49	West Midlands	Coventry	ECA SUPPLIES	★	02476 602080
50	West Midlands	Birmingham	MIDLAND FIXING SERVICES LTD		0121 3286033
51	West Yorkshire	Brighouse	A ONE TOOLS & FIXINGS	★	01484 710282
52	North Yorkshire	York	ELCOCK LTD	★	01904 611100
53	Republic Of Ireland	Dublin	PARAGON POWER TOOLS	★	+353 1459 6888
54	Republic Of Ireland	Mullingar	CHRIS LYNCH HIRE	★	+353 (0) 44 9340678
55	Republic Of Ireland	Limerick	ELECTRICAL REWINDS		+353 (61) 417070
56	Republic Of Ireland	Monaghan	SMP		+353 47 82786
57	Republic Of Ireland	Carlow	EPT		+353 5991 43300
58	Republic Of Ireland	Galway	CAULFIELDS	★	+353 (0) 91795052
59	Republic Of Ireland	Mountmellick	KENNA BIZ-E-QUIP	★	+353 57 86 79832
60	Republic Of Ireland	Cork	FRANK CLARK LIMITED	★	+353 21 4542222

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 95-96 17/12/2013 17:26

All prices are SSP's Excluding VAT

36 VOLT		UK £	IE €
D25302DH	36V Dust Extraction System For DC234KL (Integrated Design)	232	277
DC234KL	36V SDS Hammer 2 x Li-Ion Nano Batteries Charger & Kit Box	649	773
DC300KL	36V Circ Saw 2 x Li-Ion Nano Batteries Charger & Kit Box	676	805
DC305KL	36V Recip Saw 2 x Li-Ion Nano Batteries Charger & Kit Box	616	734
DC305KN	36V Recip Saw Bare Unit	337	402
DC308KL	36V Jigsaw 2 x Li-Ion Nano Batteries Charger & Kit Box	616	734
DC415KL	36V Grinder 2 x Li-Ion Nano Batteries Charger & Kit Box	616	734
DC415KN	36V Grinder Bare Unit	337	402
DC800KL	36V Impact Wrench 2 x Li-Ion Nano Batteries Charger & Kit Box	616	734
DC509	36V Torch	51	61
DC901KL	36V Hammer Drill 2 x Li-Ion Nano Batteries Charger & Kit Box	536	638
DC901KN	36V Hammer Drill Bare Unit	337	402

18V XR LITHIUM ION		UK £	IE €
DCR017	10.8V / 14.4V / 18V XR DAB+ Radio Charger	184	220
DCR016	10.8V / 14.4V / 18V XR Radio	133	159
DCN690M2	18V XR 90mm Framing Nailer 2 x 4.0Ah Batteries Charger & Kit Box	600	715
DCH253M2	18V XR SDS Hammer 2 x 4.0Ah Batteries Charger & Kit Box With Quick Change Chuck	376	448
DCH254M2	18V XR SDS Hammer 2 x 4.0Ah Batteries Charger & Kit Box	413	492
DCD790D2	18V XR Compact Brushless 2Ah Drill Driver	253	301
DCD790M2	18V XR Compact Brushless Drill Driver 2 x 4.0Ah Batteries Charger & Kit Box	313	373
DCD795D2	18V XR Compact Brushless Hammer Drill Driver 2 x 2.0Ah Batteries Charger & Kit Box	265	316
DCD795M2	18V XR Compact Brushless Hammer Drill Driver 2 x 4.0Ah Batteries Charger & Kit Box	328	390
DCD995M2	18V XR 3 Speed Brushless Hammer Drill Driver 2 x 4.0Ah Batteries Charger & Kit Box	381	458
DCD990M2	18V XR 3 Speed Brushless Drill Driver 2 x 4.0Ah Batteries Charger & Kit Box	376	452
DCS355M2	18V XR Brushless Oscillating Tool 2 x 4.0Ah Batteries Charger & TSTAK with 35 Accs	381	458
DCS355D2	18V XR Brushless Oscillating Tool 2 x 2.0Ah Batteries Charger & TSTAK with 35 Accs	311	373
DCF886D2	18V XR Compact Brushless Impact Driver 2 x 2.0Ah Batteries Charger & Kit Box	285	340
DCD780M2	18V XR Compact Drill Driver 2 x 4.0Ah Batteries Charger & Kit Box	273	326
DCD785M2	18V XR Compact Hammer Drill 2 x 4.0Ah Batteries Charger & Kit Box	287	342
DCD980M2	18V XR XRP Premium Drill Driver 2 x 4.0Ah Batteries Charger & Kit Box	308	367
DCD985M2	18V XR XRP Premium Hammer Drill 2 x 4.0Ah Batteries Charger & Kit Box	321	383
DCF880M2	18V XR Compact Impact Wrench 2 x 4.0Ah Batteries Charger & Kit Box	337	402
DCF889M2	18V XR High Torque Impact Wrench 2 x 4.0Ah Batteries Charger & Kit Box	356	424
DCF895M2	18V XR Brushless Impact Driver 2 x 4.0Ah Batteries Charger & Kit Box	327	389
DCG412M2	18V XR Grinder 2 x 4.0Ah Batteries Charger & Kit Box	356	424
DCS331M2	18V XR Jigsaw 2 x 4.0Ah Batteries Charger & Kit Box	356	424
DCS380M2	18V XR Reciprocating Saw 2 x 4.0Ah Batteries Charger & Kit Box	360	429
DCS391M2	18V XR Circular Saw 2 x 4.0Ah Batteries Charger & Kit Box	360	429
DCS373M2	18V XR Metal Cutting Circular Saw 2 x 4.0Ah Batteries Charger & Kit Box	372	443
DCK250D2	18V XR BRUSHLESS Compact Hammer Drill & BRUSHLESS Impact Driver Kit 2 x 2.0Ah Batteries Charger & DS150 Kit Box	399	475
DCK250M2	18V XR BRUSHLESS Compact Hammer Drill & BRUSHLESS Impact Driver Kit 2 x 4.0Ah Batteries Charger & DS150 Kit Box	425	511
DCK255M2	18V XR BRUSHLESS 3 SPEED Hammer Drill & BRUSHLESS Impact Driver Kit 2 x 4.0Ah Batteries Charger & DS150 Kit Box	467	560
DCK285M2	18V XR Compact Hammer Drill & Impact Driver Kit 2 x 4.0Ah Batteries Charger & DS150 Kit Box	368	439
DCK290M2	18V XR XRP Premium Hammer Drill & Impact Driver Kit 2 x 4.0Ah Batteries Charger & DS150 Kit Box	413	492
DCK591M3	18V XR 5 Piece Kit with 3 x 4.0Ah Batteries Charger & Tough System	799	951
DCK692M3	18V XR 6 Piece Kit (3 Speed) With 3 x 4.0Ah Batteries Charger & Tough System	843	1004
DCK691M3	18V XR 6 Piece Kit (2 Speed) With 3 x 4.0Ah Batteries Charger & Tough System	809	964
DCK694M3	18V BRUSHLESS 6 Piece Kit (3 speed) with 3 x 4.0Ah batteries, charger & Tough System	920	1104
DCD740C1	18V XR Right Angle Drill 1 x 1.5Ah Batteries Charger & Kit Box	191	227
DCN690N	18V XR 90mm Framing Nailer Bare Unit	435	518
DCH253N	18V XR SDS Hammer Bare Unit	212	253
DCS355N	18V XR Brushless Oscillating Tool Bare Unit with 29 Accessories	153	183
DCF889N	18V XR High Torque Impact Wrench Bare Unit	153	183

All prices are SSP's Excluding VAT

DCF889HN	18V XR Compact Impact Wrench Bare Unit	153	183
DCF880N	18V XR Compact Impact Wrench Bare Unit	153	183
DCF895N	18V XR Brushless Impact Driver Bare Unit	153	183
DCF886N	18V XR Compact Brushless Impact Driver Bare Unit	140	166
DCS331N	18V XR Jigsaw Bare Unit	153	183
DCG412N	18V XR Grinder Bare Unit	153	183
DCS380N	18V XR Reciprocating Saw Bare Unit	153	183
DCS391N	18V XR Circular Saw Bare Unit	153	183
DCS373N	18V XR Metal Cutting Circular Saw Bare Unit	180	215
DCD785N	18V XR Compact Hammer Drill Bare Unit	108	129
DCD740N	18V XR Right Angle Drill Driver Bare Unit	108	129
DCL040	18V XR Pivot Work Light	45	54
DCB182	18V XR 4.0Ah Battery Pack	111	132
DCB183	18V XR 2.0Ah Battery Pack	76	90
DCB105	10.8V / 14.4V / 18V XR Multi Voltage Charger	79	94
DCB119	10.8V / 14.4V / 18V XR Multi Voltage Car Charger	60	72
DCB090	10.8V / 14.4V / 18V USB Charger	33	40

10.8V XR LITHIUM ION		UK £	IE €
DCF610S2	10.8V Screwdriver 2 x 1.5Ah Batteries Charger & Kit Box	132	158
DCD710S2	10.8V Drill Driver 2 x 1.5Ah Batteries Charger & Kit Box	137	164
DCS310S2	10.8V Mini Reciprocating Saw 2 x 1.5Ah Batteries Charger & Kit Box	139	166
DCF815S2	10.8V Impact Driver 2 x 1.5Ah Batteries Charger & Kit Box	137	164
DCF813S2	10.8V Impact Wrench 2 x 1.5Ah Batteries Charger & Kit Box	137	164
DCK211S2	10.8V Combo Kit With Drill Driver Impact Driver 2 x 1.5Ah Batteries Charger & Bag	175	208
DCT410S1	10.8V Inspection Camera 1 x 1.5Ah Battery Charger & Kit Box	309	369
DCT4101	17mm Camera Cable	75	89
DCT4102	9mm Camera Cable	68	81
DCT4103	0.9m Camera Cable Extension	32	39
DCT4105	5.8mm Camera Cable	140	167
DCT414S1	10.8V IR Thermometer 1 x 1.5Ah Battery Charger & Kit Box	137	164
DCT416S1	10.8V Imaging Thermometer 1 x 1.5Ah Battery Charger & Kit Box	939	1118
DCD710N	10.8V Drill Driver Bare Unit	71	85
DCF815N	10.8V Impact Driver Bare Unit	85	102
DCS310N	10.8V Mini Reciprocating Saw Bare Unit	71	85
DCL510N	10.8V LED Torch Bare Unit	31	37
DCT410N	10.8V Inspection Camera Bare Unit	179	213
DCT414N	10.8V IR Thermometer Bare Unit	85	102
DCB100	10.8V Charger	40	48
DCB123	10.8V Battery 1.5Ah	40	48

7.2V LITHIUM ION		UK £	IE €
DCF680G2	7.2V Motion Activated Screwdriver	111	131
DCL023N	7.2V Flashlight Bare Unit	24	29
DCB080	7.2V 1.0Ah Li-Ion Battery Pack	24	29
DCB095	7.2V Li-Ion Charger	24	28

18 VOLT		UK £	IE €
DC618KB	18V 16 Gauge cordless nailer 2 x 2.6Ah NiMH Batteries Charger & Kit Box	477	569
DC213N	18V SDS Hammer Bare Unit	197	235
DC330N	18V Jigsaw Bare Unit	240	286
DC385N	18V Reciprocating Saw Bare Unit	221	264
DC390N	18V Circular Saw Bare Unit	191	227
DC411N	18V 125mm Grinder Bare Unit	188	224
DC520N	18V Drywall Gun Bare Unit	169	202
DC527N	18V Fluorescent Light Bare Unit	51	61

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 97-98 17/12/2013 17:26

All prices are SSP's Excluding VAT

DC727N	18V Hammer Drill Bare Unit	187	223
DC822N	18V Compact Impact Wrench Bare Unit	184	220
DC827N	18V Compact Impact Driver Bare Unit	173	207
DC515N	18V Cordless Vacuum Bare Unit	77	93
12 VOLT		**UK £**	**IE €**
DC740KA	12V Drill Driver 2 x 1.3Ah NiCd Batteries Charger & Kit Box	113	135
BATTERIES (NIMH, NICAD, NANO)		**UK £**	**IE €**
DE9071	Battery 12V 2.0Ah NiCd	53	64
DE9074	Battery 12V 1.3Ah NiCd	43	51
DE9091	Battery 14.4V 2.0Ah NiCd	53	64
DE9094	Battery 14.4V 1.3Ah NiCd	49	59
DE9095	Battery 18V 2.0Ah NiCd	71	85
DE9098	Battery 18V 1.3Ah NiCd	51	61
DE9180	Battery 18V Nano Li-Ion	164	196
DE9360	Battery 36V Li-Ion Nano	227	270
DE9502	Battery 14V 2.6Ah NiMH	83	99
DE9503	Battery 18V 2.6Ah NiMH	105	126
CHARGERS		**UK £**	**IE €**
DE9000	36V & 28V Charger	93	112
DE9135	7.2 - 18V Multi Chemistry Charger	92	110
DE9136	7.2 - 18V Multi Chemistry Car Charger	97	116
HAMMERS		**UK £**	**IE €**
D25301D	SDS Plus Dust Extraction Telescope (Fits All 2KG & L-Shape Mains & Cordless Hammers)	83	99
D25052KT	Sub Compact Hammer (TSTAK kit box)	184	221
D25013K	22 mm SDS Plus Hammer 3 Mode	113	135
D25123K	26mm SDS Plus Hammer 3 mode New Fully Synchronised Gearbox	148	177
D25124K	26mm SDS Plus Hammer 3 mode New Fully Synchronised Gearbox With Quick Change Chuck	204	243
D25323K	26mm SDS Plus L-Shape Hammer Low Vibration	215	256
D25324K	26mm SDS Plus L-Shape Hammer Low Vibration With Quick Change Chuck	248	296
D25414KT	32mm SDS Plus Multi Drill (TSTAK kit box)	444	533
D25501K	40mm 5kg SDS Max Combination Hammer	400	477
D25820KIT	5kg SDS Max Dedicated Chipping Hammer with Accs	411	493
D25601K	45mm 6kg SDS Max Combination Hammer	451	537
D25721K	48mm 7kg SDS Max Combination Hammer	600	720
D25899K	10kg Demolition Hammer	532	634
D25902K	10kg Demolition Hammer Fully Featured Upgrade	640	768
D25960K	16kg 28mm HEX Pavement Breaker	921	1097
D25980	31kg Pavement Breaker	1129	1345
D259801	Trolley for Pavement Breaker	112	134
LASERS		**UK £**	**IE €**
DW088K	Cross Line Laser Compatible With DE0892 Detector	183	218
DW088KD	DW088K With DE0892 Detector	256	305
DW089K	Multi Line Laser compatible With DE0892 Detector	321	383
DW089KD	DW089K With Detector	387	461
DW083K	3 Beam Self Levelling Laser Pointer	129	154
DW085K	5 Beam Self Levelling Laser Pointer	196	234
DW03050	50m LDM	111	131
DW03101	100m LDM	203	241
DW074K	Self Levelling Horizontal Rotary Laser Manual Levelling In Vertical	419	499
DW075PK	Full Self Levelling Rotary Laser Application Kit	752	896
DW079PKH	Next Generation Horizontal & Vertical Self Levelling Rotary Laser Kit	1128	1343
DE0881	Laser Tripod	53	64

All prices are SSP's Excluding VAT

DE0882	Laser Pole	103	123
DE0892	Laser Detector for DW088 / DW089	93	112
DE0730	Laser Target Card	12	15
DE0735	Laser Tripod Elevated	201	240
DE0736	Laser Tripod	156	186
DE0737	Grade Rod	73	88
DE0772	Laser Detector for use with Rotary Lasers	171	204
DW096PK	Auto Level Kit	351	418
MITRE/FLIP SAWS		**UK £**	**IE €**
DW777	216mm Compound Slide Mitre Saw	327	389
DWS778	250mm Compact Compound Slide Mitre Saw	499	594
DW717XPS	250mm Compound Slide Mitre Saw	664	791
DWS780	305mm Compound Slide Mitre Saw	829	988
DW743N	250mm Flip Over Saw	763	908
DE3454	Pair Of Push Sticks	11	13
DE3460	Length Stop For Short Work Pieces	53	64
DE3461	Clamp Assembly	53	64
DE3462	Swivel Stop	31	37
DE3471	Single Sliding Table	587	699
DE3472	Right Side Extension Table	123	147
DE3473	Ripping / Parallel Fence	53	64
DE3474	Adjustable Support	59	70
DE3491	Pair Of Guide Rods 500mm	33	40
DE3494	Pair Of Guide Rods 1000mm	41	50
DE3495	Material Support Plate	53	64
DE3496	Fence For Bench Mode	43	51
DE7023	Universal Legstand	204	243
DE7033	Short Beam Universal Legstand	140	167
DE7035	Heavy Duty Saw Horse	77	93
DE7024	Work Support Stop	28	34
DE7025	Mounting Bracket	47	56
DE7027	Roller Support For DE7023	39	47
DE7028	Extension Arm Support For DE7023	41	50
DE7029	Increased Width Support Stop For DE7023	41	50
DE7030	Large Mitre Bracket For DE7023	52	62
DE7031	Extension Support For DE7023	71	85
DE7053	Dust Bag For DW713 / DW716 / DW718 / DW717	16	20
DE7080	Extension Kit For DW713 / DW716 / DW718 / DW717	25	31
DE7082	Vert Clamp For DW713 / DW716 / DW718 / DW717	28	34
DE7120	Breakout Block	13	16
DE7121	Extraction Kit	31	37
METAL WORKING/ TILE SAW		**UK £**	**IE €**
D28113	SAG 115mm 900W	57	69
D28113K	SAG 115mm 900W With Kit Box	65	78
D28117	SAG 115mm 1100W With Auto Balancer	119	142
D28065	MAG 125mm 1250W With Dust Ejection System	93	112
DW831	MAG 125mm 1400W	123	147
DWE46101	125mm Mortar Raking Kit	204	243
D28415	LAG 230mm 2200W Low Vibration	193	231
D28490	LAG 230mm 2000W	108	129
D28492K	LAG 230mm 2200W With Kit Box	120	143
DWP849X	180mm Polisher	159	189
DWE46150	115mm / 125mm Surfacing Shroud	52	62
D28710	355mm Abrasive Chopsaw	168	200

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 99-100 17/12/2013 17:26

All prices are SSP's Excluding VAT

D28715	355mm Premium Abrasive Chopsaw	328	391
DW872	355mm Metal cutting TCT Chopsaw	385	459
D24000	Wet Tile Saw & Legstand	856	1019

WOODWORKING		**UK £**	**IE €**
DWE315KT	300 Watts Quick Change Tool Release in TSTAK	200	238
DWE550	165mm Compact Circular Saw	104	124
DWE560	184mm Compact Circular Saw	109	131
DWE560K	184mm Compact Circular Saw With Kit Box	127	151
DWE575K	190mm Precision Circular Saw With Kit Box	164	196
DWE576K	190mm Precision Circular Saw With DWS5022 Rail Compatible Base	172	205
D23700	235mm Circular Saw	253	302
DW331K	Jigsaw 701 Watt	151	180
DW341K	Compact Jigsaw 550 Watt	117	140
DW682K	Biscuit Jointer	209	250
DW680K	Planer 2.5mm	155	185
D26500K	Planer 4mm	213	254
DE2650	Planer Bag for D26500K & D26501K	21	26
DWS520K	Precision Plunge Saw	340	405
DWS520KR	Precision Plunge Saw Includes 1.5m Guide Rail	375	446
DWS5021	1m Guide Rail	43	51
DWS5022	1.5m Guide Rail	60	72
DWS5023	2.6m Guide Rail	92	110
DWS5025	Guide Rail Carry Bag For DWS5021 & DWS5022	36	43
DWS5026	Pair of quick clamps	37	45
DWS5027	T Square	27	32
DWS5029	Replacement Edge strip	20	24
DWS5030	Replacement Low Friction Strip	20	24
DWS5031	Router Attachment	33	40
DWS5032	Replacement High Friction Strip	20	24
DE6292	Joining Bar	17	21
DW304PK	Reciprocating Saw	216	260
DWE357K	Compact Reciprocating Saw	159	189
DW310K	Heavy Duty Reciprocating Saw	188	224
DW311K	275mm Alligator with 54T class 20 Poroton Blade	247	294
DWE396	275mm Alligator With 54T class 20 Poroton Blade	325	388
DWE397	425mm Alligator with 48T class 12 Poroton Blade	341	407
DW609	Laminate Trimmer	327	389
DW670	Laminate Trimmer 6-8mm	136	162
DW615	1/4" Router	205	245
D26200	1/4" Compact Fixed Base Router	151	180
D26203	1/4" Plunge Router	227	270
D26204K	1/4" Combination Plunge & Fixed Base Router	251	299
DW622K	1/2" Router	267	318
DW625EK	1/2" 2000 Watt Router	313	373
D26410	150mm Random Orbit Sander	193	231
D26421	1/2 Sheet Sander	203	242
D26430	Detail Sander	103	123
D26441	1/4 Sheet Sander	83	99
D26453	125mm Random Orbit Sander	96	115
D26480	Palm Grip Belt Sander	147	175
DW433	75mm belt sander	248	296
DW443	150mm Random Orbit Sander Body Grip	172	205
D26411	1800 Watt Heatgun	45	54
D26414	LCD Premium Heat Gun	79	94

All prices are SSP's Excluding VAT

MACHINERY		**UK £**	**IE €**
DW744XP	Portable Table Saw 610mm	829	988
DW745	Portable Table Saw 410mm	493	588
DW745RS	Portable Table Saw 410mm & DE7400 Rolling Stand	532	624
DE7400	Table Saw Rolling Stand	207	246
DW733	Portable Thicknesser	457	545
D27300	Planer Thicknesser	1240	1476
DW721KN	300mm 2000 Watt 507mm Radial Arm Saw	1811	2156
DW728KN	350mm 2200 Watt 525mm Radial Arm Saw	2889	3440
DW729KN	350mm 4000 Watt 525mm Radial Arm Saw	2889	3440
DW876	200mm 2 Speed Bandsaw	648	772

DRILLS/DIAMOND/SCREWDRIVERS		**UK £**	**IE €**
D21160	Right Angle Drill	143	170
D21520	Mixer Drill	201	240
DWD024K	650 Watt Percussion Drill With Kit Box	73	88
D21716K	Percussion Drill 701 Watt	107	127
D21805KS	Percussion Drill 770 Watt Keyless Chuck	131	156
DWD524KS	1100 Watt Percussion Drill	168	200
D21570K	1300 Watt 127mm Diamond Drill	209	250
D21580K	Dry Diamond Drill	567	675
D215821	Drilling Stand For D21580 / D21582	419	499
D215822	Water Collection Ring For D215821	121	145
D215823	3 x Spare Seals For Water Collection Ring D215822	45	54
D215824	10L Water Tank	224	267
D215825	Fastening Set For Concrete (10 x Dowels)	37	45
D215826	Fastening Set For Masonary (1 x Dowel)	28	34
D215827	10 x Spare Dowel Concrete	15	18
D215832	Water Collection Ring For D215831	148	177
D215833	3 x Spare Seals For D215832	61	74
D215834	Reduction Ring 60-53mm Collar	16	20
D215835	Quick Action Bracing Unit	373	445
D215838	Spare 3m Vacuum Tube	35	42
D215839	Vacuum Kit For D215831	47	56
D215804	Dust Collection Device	163	194
DW274K	Drywall Gun	128	153
DW292	1/2" Impact Wrench	244	291
DW294	3/4" Impact Wrench	261	312

DUST EXTRACTION & SAFETY		**UK £**	**IE €**
DWV902M	M Class Construction Dust Extractor	541	645
DWV902M	M Class Construction Dust Extractor	541	645
DWV9400	Disposable Plastic Liner for DWV902M (Pack of 5)	11	13
DWV9401	Paper Bag for DWV902M (Pack of 5)	11	13
DWV9402	Fleece Bag for DWV902M (Pack of 5)	16	20
DWV9210	Airlock Construction Kit	21	26
DWV9220	Airlock Woodworking Kit	43	51
DWV9000	Airlock Twist Lock	11	13
DWV9110	Airlock Tapered Adaptor	9	12
DWV9120	Airlock Stepped Adaptor	9	12
DWV9130	Airlock 35mm Adaptor	8	10
DWV9150	Airlock 35mm Angle Adaptor	9	12
D279058CL	Airlock Hose Clip	9	12
DWH050K	Large Hammer Dust Extraction Drilling & Hole Cleaning	121	145
DWH051K	Large Hammer Dust Extraction Chipping 5kg To 12kg	95	113

DeWalt 4948 Catalogue'14 A5 + reevoo.indd 101-102 17/12/2013 17:26

All prices are SSP's Excluding VAT

DWH052K	Large Hammer Dust Extraction Chipping 16kg & 30kg	59	70
D500910	Safety Specs	12	15
STORAGE		**UK £**	**IE €**
1-70-321	TOUGHSYSTEM DS150	44.03	52.40
1-70-322	TOUGHSYSTEM DS300	52.84	62.89
1-70-323	TOUGHSYSTEM DS400	57.24	68.13
1-70-324	TOUGHSYSTEM Trolley	132.11	157.24
1-70-349	DS150 DS300 DS450 & Trolley	273.06	325
DWST1-70728	TOUGHSYSTEM DS250	63.73	75.85
1-70-362	TOUGHSYSTEM Spare Brackets	13.20	15.71
DWST7-97150	Foam Insert For DS150	8.50	10.11
1-79-208	18" Tote Bag	52.84	62.89
1-79-209	Rigid Top Bag	52.84	62.89
1-79-211	Round Top Bag	61.66	73.39
DWST1-70703	T-STAK II Kit Box	29.74	35.39
DWST1-70705	T-STAK III Deep Drawer Kit Box	34.00	40.46
DWST1-71194	T-STAK V Clear Lid organiser	34.00	40.46
DWST1-71195	T-STAK VI Deep Kit Box	34.00	40.46
DWST1-70706	T-BOX IV Shallow Drawer Kit Box	38.24	45.51
DWST1-71229	T-STAK CART Wheeled Carrier	38.24	45.51
DWST1-70704	T-STAK I Powertool Kit Box	42.49	50.57
DWST1-70702	T-BOX Combo II & IV	61.19	72.83

Products sold as per dealer's valid price list. Please refer to price list for stock availability. Prices are correct as of date of print but subject to change at the manufacturers discretion. All prices exclude local taxes
All products shown are in compliance with the appropriate European regulations. DEWALT is a member of EPTA
Dual voltage - all DEWALT power tools are supplied in both 230 Volts and 115 Volts options unless otherwise stated. Please contact your local dealer for availability.
DEWALT reserves the right to revise product specifications at any time without notice.
All measurements are in millimetres (mm) unless otherwise stated.
WARNING: all warranties are country/region specific. Tools purchased e.g. in the USA or via the internet, and imported into Europe,which are not CE approved, not only violate EU legislation, but will not be supported/serviced in Europe by DEWALT as a result.
Only European tools are covered by a European warranty.
Please refer to the website www.dewalt.eu for a full set of our terms and conditions of business trading.
GUARANTEED TOUGH, DEWALT EXTREME, DEWALT, EXTREME DEWALT, DEWALT GUARANTEED TOUGH, DEWALT SERVICE logo, TSTAK, TOUGHSYSTEM logo, AIR LOCK logo, SERIES 20, SERIES 30, SERIES 40, SERIES 60, AVC, XR, XRP, XPC, XPS, XLR, and ALLIGATOR are registered trademarks of The Black and Decker Corporation.
The yellow and black colour scheme is used on DEWALT power tools and accessories as a trademark.
GORE Wet/Dry Filter is a trademark of W.L Gore & Associates Inc.
Registered Trade Marks of Robert Bosch GmbH. Torx® is a Registered Trade Mark of Acument Intellectual Properties, LLC.

reevoo 9.3 out of 10
average power tool score

"At DEWALT, we're keen to get feedback from our customers. That's why we've partnered with Reevoo, an independent review company, which collects, collates and publishes reviews from tradesmen who have purchased DEWALT products.

To read reviews from thousands of genuine tradesmen please visit www.dewalt.co.uk"

We chose Reevoo as they're completely independent; they never edit or censor any of the reviews they receive, whether they're good or bad, and they don't allow companies to do so either.

Wherever you see the Reevoo logo, you can be sure you're reading 100% genuine customer reviews.

Check out the company's very own consumer promise below.

CONSUMER PROMISE

At Reevoo, we're passionate about the power of the pure, un-varnished Voice of the Customer. Our Review Moderation Policy protects our clients from the brand damage that fake reviews - positive and negative - can generate. Here's our promise:

1) **All of our reviews are from genuine, verified purchasers** - We never allow 'open' submissions from unknown consumers.
2) **We'll never change a review** - We'll make no edits, no matter how minor.
3) **We'll never suppress a bad review** - Bad reviews are important trust builders and provide critical insight to our clients.

Transparency and trust are the core of the Reevoo approach. This simple but rigorous policy ensures we can deliver the value our clients deserve and all consumers demand.

Want to find out more about reevoo reviews and ratings? Go to reevoo.com

All scores correct as of 2/12/13.